

Appendix B

Original Equipment Tire and Wheel Information for SS & Jaguar Cars

The following information is based on the best data available and is for use in judging. Some non-North American and International models may not be included. This information may be superseded either by the tire and wheel data contained in the Owner's Manual for a specific model Jaguar or by the Tyre Recommendation Plate attached to the car. Recommendations for additions or corrections to this appendix are encouraged and may be sent to the Chairman of the Judge's Concours Rules Committee (the address can be found in the Clubs, JCNA Committees Section of the *Jaguar Journal*). A copy of the page(s) of the applicable Owner's Manual, or a photo of the Tyre Recommendation Plate, specifying the tire size and/or wheel description, should accompany all submissions.

| <u>YEAR</u> | <u>MODEL / NOTE</u> | <u>TIRE SIZE</u> | <u>MFG.</u> | <u>TIRE</u> | <u>WHEEL</u> |
|--------------------|---|------------------|-------------|---------------|--------------------|
| <u>SS</u> | | | | | |
| 1931-32 | S.S. 1 Coupe | 5.50 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1931-33 | S.S. 2 Coupe ¹ | 4.75 x 18 | Dunlop | Fort 90 | 48 Spoke |
| 1932-36 | S.S. 1 Coupe/Saloon/Tourer | 5.50 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1933-34 | S.S. 2 Coupe/Saloon | 4.75 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1934-36 | S.S. 2 Tourer | 4.75 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1934-36 | S.S. 1 Airline | 5.50 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1935-35 | S.S. 1 Drop Head Coupe | 5.50 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1935-35 | S.S. 90 | 5.50 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1935-37 | S.S. Jaguar 1½ s.v. Saloon ¹ | 4.75 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1935-37 | S.S. Jaguar 2½ o.h.v. Saloon/Tourer | 4.75/5.50 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1935-41 | S.S. Jaguar 100 2½, 3½ | 5.25/5.50 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1935-38 | S.S. Jaguar 1½ All Steel Saloon | 4.75/5.25 x 18 | Dunlop | Fort 90 | 60 Spoke |
| 1935-38 | S.S. Jaguar 2½, 3½ All Steel Saloon\DHC | 5.50 x 18 | Dunlop | Fort 90 | 60 Spoke |
| <u>MKIV</u> | | | | | |
| 1945-48 | 1½, 2½, 3½ Jaguar (Mk IV) | 5.50 x 18 | Dunlop | Fort 90 | 60 Spoke |
| <u>MKV</u> | | | | | |
| 1948-50 | MK V ² | 6.70 x 16 | Dunlop | Super Comfort | Pressed Steel 5x16 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|-----------------------------------|---|---------------------------------------|------------------|---------------------------------------|--|
| <u>XKs</u> | | | | | |
| 1948-54 | XK 120 | 6.00 x 16 | Dunlop | Roadspeed RS4 (Later RS5) & Racing | Pressed Steel 4½x16, 5x16 54 Spoke Wire 5x16 |
| 1954-57 | XK 140 | 6.00 x 16 | Dunlop Racing | Roadspeed RS5 54 Spoke Wire 5x16 | Pressed Steel 5x16 |
| 1957-61 | XK 150 | 6.00 x 16 | Dunlop | Roadspeed RS5 Racing | Pressed Steel 5½x16 54 Spoke Wire 5x16 June '58 - 60 Spoke Wire 5x16 |
| <u>C and D Types, XKSS</u> | | | | | |
| 1951-54 | XK 120C (C-Type) | (Front) 6.00 x 16 (Rear) 6.50 x 16 | Dunlop | Racing | 54 Spoke (Early) 60 Spoke (Late) |
| 1955-57 | D-Type & 1957 XKSS | 6.50 x 16 | Dunlop | Racing | 5.00 x 16 light alloy perforated disc |
| <u>Large Saloons</u> | | | | | |
| 1950-57 | MK VII, MK VIIM ² | 6.70 x 16 | Dunlop | Super Comfort | Pressed Steel 5x16 |
| 1956-59 | MK VIII ² | 6.70 x 16 | Dunlop | Super Comfort | Pressed Steel 5x16 |
| 1958-61 | MK IX ² | 6.50/6.70 x 16 | Dunlop | Super Comfort | Pressed Steel 5½x16 |
| 1961-64 | MK 10 (3.8) | 7.50 x 14 | Dunlop | Roadspeed RS5 | Pressed Steel 5½x14 |
| 1964-66 | MK 10 (4.2) | 205 x 14 | Dunlop | SP-41 (Radial) | Pressed Steel 5½x14 |
| 1966-68 | 420G | 205 x 14 | Dunlop | SP-41 (Radial) | Pressed Steel 5½x14 |
| <u>Small Saloons</u> | | | | | |
| 1955-59 | 2.4 (MK 1) | 6.40 x 15 | Dunlop | Super Balloon | Pressed Steel 4½x15 72 Spoke Wire 4½x15 |
| 1955-59 | 3.4 (MK 1) | 6.40 x 15 | Dunlop | Roadspeed RS4 | Pressed Steel 4½x15 72 Spoke Wire 4½x15 after chassis #127785-lhd |
| 1959-67 | MK 2 (2.4, 3.4, 3.8) Factory authorized ³ | 6.40 x 15 185HR15 | Dunlop Dunlop | Roadspeed RS5 SP-41 (Radial) | Pressed Steel 5x15 72 Spoke Wire 5x15 |
| 1963-68 | 3.4S, 3.8S radial after 3.4-1B25084 & 3.8-1B75382 | 6.40 x 15 185HR15 | Dunlop Dunlop | Roadspeed RS5 SP-41/SP-68 (Radial) | Pressed Steel 5½x15 72 Spoke Wire 5½x15 |
| 1966-68 | 420 | 6.40 x 15 185 HR15 | Dunlop Dunlop | Roadspeed RS5 SP-41 (Radial) | Pressed Steel 5½x15 72 Spoke Wire 5½x15 |
| 1967-69 | 240, 340 | 6.40 x 15 185HR15 | Dunlop Dunlop | Roadspeed RS5 SP-41 (Radial) | Pressed Steel 5½x15 Optional 72 Spoke Wire 5½x15 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|---------------------------------|---|------------------|-------------|--------------------------------------|---|
| <u>E-Types</u> | | | | | |
| 1961-67 | E-type (Ser 1) 3.8, 4.2 ⁴ | 6.40 x 15 | Dunlop | Roadspeed RS5 | Pressed Steel 5x15 |
| | | | Dunlop | Racing | 72 Spoke Wire 5x15 |
| 1967-68 | (Option after 10/65) E-type (Ser 1½) 4.2 ⁴ | 185HR15 | Dunlop | SP-41 (Radial) | |
| | | 185HR15 | Dunlop | SP-41 (Radial) | Pressed Steel 5x15 |
| 1968-70 | Series 2 E-type | 185HR15 | Dunlop | SP-41 (Radial) | 72 Spoke Wire 5x15 |
| | | | | | 72 Spoke Wire 5x15 |
| 1971-75 | Series 3 E-type ⁵ | ER70VR15 | Dunlop | SP Sport (Radial) | Slotted Pressed Steel 5x15 (Optional) |
| | | | | | Astro Pressed Steel 6x15 |
| | | | | | Triple Laced 72 Spoke Wire 6x15 |
| <u>XJ6/12 Series 1</u> | | | | | |
| 1968-73 | Series 1 XJ6, XJ12, XJ6L, XJ12L ⁵ | ER70VR15 | Dunlop | SP Sport | Slotted Pressed Steel 6x15 |
| <u>XJ6/12 Series 2</u> | | | | | |
| 1973-79 | Series 2 XJ6, XJ6L, XJ6C, XJ12, XJ12L, XJ12C ⁵ | ER70VR15 | Dunlop | Formula 70 | Slotted Pressed Steel 6x15 |
| | | 205/70VR15 | Dunlop | SP Sport | Slotted Pressed Steel 6x15 |
| | | | | (XJ12 1977-79) 5-Spoke Kent Polished | |
| <u>XJ6/12 Series III</u> | | | | | |
| 1979 | Series III XJ6 | ER70VR15 | Dunlop | Formula 70 | SP Sport Pressed Steel w/ Trim Ring 6Jx15 |
| 1979-87 | Series III XJ6 | ER70VR15 | Dunlop | Formula 70 | 5-Spoke Kent Alloy 6x15 |
| | | 205/70VR15 | Pirelli | P5 | 5-Spoke Kent Alloy 6x15 |
| 1979-82 | Series III XJ12 | 215/70VR15 | Dunlop | Formula 70 | 5-Spoke Kent Alloy |
| 1982-92 | Series III V12 | 215/70VR15 | Pirelli | P5 | Ogle Perforated Alloy or 5-Spoke Kent Alloy |
| 1984-87 | XJ6 Sovereign | 215/70VR15 | Pirelli | P5 | Ogle Perforated Alloy |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|-------------------|---------------------------|----------------------|----------|----------------|--|
| <u>XJS</u> | | | | | |
| 1975-81 | XJS Coupe | 205/70VR15 | Dunlop | SP Super | 5-Spoke Kent Alloy 6JKx15 |
| | | 205/70VR15 | Pirelli | P5 Super | 5-Spoke Kent Alloy 6JKx15 |
| | | 205/70VR15 | Michelin | XWX Super | 5-Spoke Kent Alloy 6JKx15 |
| 1981-86 | XJS HE and XJS 3.6 | 215/70VR15 | Pirelli | P5 | 5-Spoke Starfish (Grey Highlights) 6.5x15 |
| | (Non-US) | P215/70VR15 | Dunlop | SP Super D7 | Ogle Perforated Alloy 6x15 |
| 1986-88 | XJSC Cabriolet XJS V12 | (Non-US) P215/70VR15 | Pirelli | P5 | 5-Spoke Starfish (Grey Highlights) 6.5x15 |
| | | 215/70VR15 | Pirelli | P5 or | Lattice 6.5JKx15, 03/88-on, or |
| | | 215/70VR15 | Dunlop | D7 Sport Super | 5-Spoke Starfish 6.5JKx15 |
| 1988 | XJR-S Le Mans | 245/55ZR16 | Dunlop | D-40-M2 | Radial Alloy 7x16 |
| 1989-91 | XJS | 235/70VR15 | Pirelli | P600 | Lattice 6.5JKx15 |
| | | | | | 5-Spoke Starfish |
| 1991 | XJS Classic | 215/70VR15 | Pirelli | P5 | Lattice 6.5JJx15 (Body Highlights or Chrome) |
| | | 235/60ZR15 | Goodyear | Eagle NCT60 | Lattice 15x6.5J (Plain or Chrome) |
| 1992 | XJS (Redesigned) | 235/60ZR15 | Goodyear | Eagle NCT60 | Lattice 7x15 |
| 1993 | XJS | 235/60VR15 | Pirelli | P4000 | Lattice 6.5x15 |
| | XJR-S JaguarSport | (Front) 225/50ZR16 | Goodyear | Eagle NCT60 | JaguarSport Rectangular Slotted 8x16 |
| | | (Rear) 245/55ZR16 | | | |
| | | (Spare) 205/70R15 | | | Speedline Alloy Spare |
| | | (Spare) 205/70R15 | Dunlop | D7 | Speedline 7.5x15 |
| 1994 | XJS 6 cyl | 235/60ZR15 | Goodyear | NTC | Lattice (US Standard) 6.5x15 |
| | XJS 6 cyl Sport | 225/55VR16 | Pirelli | P600 | Alloy Painted 5-Spoke 7x16 |
| | XJS 12 cyl | 225/60ZR16 | Pirelli | P4000E | 5-Spoke Diamond Turned Gold 7x16 |
| 1995-96 | XJS 6 cyl | 225/60ZR16 | Pirelli | P4000 | 5-Spoke Diamond Turned 7x16 |
| 1995 | XJS 12 cyl | 225/55VR16 | Pirelli | P4000E | 20-Spoke Diamond Turned 7Jx16 |
| | | | | | (Chrome 5-Spoke optional) |
| 1996 | XJS Convertible | 225/60ZR16 | Pirelli | P4000E | Diamond Turned 11-Slot Aero Sport 7Jx16 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|--|-----------------|---|----------------------------|--------------------------------|---|
| <u>XJ6/12 (XJ40)</u> | | | | | |
| 1987-92 | XJ6 | 205/70VR15 | Pirelli | P5 | Radial Alloy 7x15 |
| 1993 | XJ6 | 225/65ZR15 | Pirelli | P4000 | (XJ6) Radial 7x15, (VP) Roulette 7x15 |
| 1994 | XJ6 | 225/60ZR16 | Pirelli | P4000E | Kiwi Alloy 7x16 |
| 1994 | XJ12 (early) | 225/60ZR16 | Pirelli | P4000E | Lattice 7x16 |
| 1994 | XJ12 (late) | 225/60ZR16 | Pirelli | P4000 | 20 Spoke Alloy 7x16 |
| 1994 | Vanden Plas | 225/60ZR16 | Pirelli | P4000E | Aero Alloy 7x16 |
| <u>XJ220</u> | | | | | |
| 1988 | XJ220 Prototype | 295/40ZR17 | Pirelli | P Zero | Speedline One-piece Alloy 9x17 |
| 1991 | XJ220 | (Front) 255/45ZR17 (Rear) 345/35ZR18 | Bridgestone Bridgestone | Experia Experia, | Speedline One-piece Alloy 9x17 Speedline One-piece Alloy 14x18 |
| 1993 | XJ220C | (Front) 250/640R18 (Rear) 315/655R18 | Dunlop Dunlop | Racing Slicks Racing Slicks | JaguarSport Speedline 10x18 JaguarSport Speedline 13x18 |
| <u>XJ6 (X300) (See Note #6)</u> | | | | | |
| 1995-97 | XJ6 & '97 XJ6L | 225/60ZR16 | Pirelli | P4000e | Dimple Cast Alloy-Diamond Polished 7Jx16 |
| 1995 | Vanden Plas | 225/60ZR16 | Pirelli | P4000e | Aero Cast Alloy-Diamond Polished 7Jx16 |
| 1996-97 | Vanden Plas | 225/60ZR16 | Pirelli | P4000e | 20-spoke Cast Alloy-Diamond Polished 7Jx16 |
| 1995-96 | XJ12 | 225/60ZR16 | Pirelli | P4000e | 20 Spoke Cast Alloy-Diamond Polished 7Jx16 |
| 1995-97 | XJR | 255/45ZR17 | Pirelli | P Zero | Sport Cast Alloy 8x17 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|--|------------------------|----------------------------------|-------------|-----------------------|-------------------------------|
| <u>X-TYPE (2004-2007) (See Note #6)</u> | | | | | |
| 2002-02.5 | X-TYPE 2.5 | 205/55R16 91H | Continental | Conti Touring Contact | X-10 Cast Alloy 16x6.5 |
| 2002-02.5 | X-TYPE 3.0 | 205/55R16 91H | Continental | ContiTouring Contact | X-5 Cast Alloy 16x6.5 |
| 2002 | | (Option) 225/45R17 | Pirelli | P Zero A-Sport | X-10 Sport Cast Alloy 17x7.0 |
| 2002.5 | | (Option) 225/45R17 | Continental | ContiSport Contact | X-10 Sport Cast Alloy 17x7.0 |
| 2003 | X-TYPE 2.5 | 205/55R16 91H | Continental | ContiTouring Contact | X-10 Cast Alloy 16x6.5 |
| 2003 | X-TYPE 3.0 | 225/45R17 91H | Continental | ContiTouring Contact | X-7 Flute Cast Alloy 17x7.0 |
| | | (Option) 225/45R17 91H | Continental | ContiTouring Contact | X-10 Sport Cast alloy 17x7.0 |
| | | (Option) 225/45R17 91H | Continental | ContiTouring Contact | X-Triple 5 Cast Alloy 17x7.0 |
| | (R Performance Option) | 225/40R18 | Pirelli | P Zero Nero | Melbourne 2-piece 18x7.5 |
| | (R Performance Option) | 225/40R18 | Pirelli | P Zero Nero | Indianapolis 2-piece 18x7.5 |
| 2004 | X-TYPE 2.5 | 205/55R16 91H | Continental | ContiTouring Contact | Tobago Cast Alloy 16x6.5 |
| 2004 | X-TYPE 3.0 | 225/45R17 91H | Continental | ContiTouring Contact | Cayman Forged Alloy 17x7.0 |
| 2004 | X-TYPE 3.0 Sport | 225/40R18 | Pirelli | P Zero Nero | Aruba Forged Alloy 18x7.5 |
| 2004 | | (Option w/Sport) 225/45R17 91H | Continental | ContiTouring Contact | X-Ten Sport Cast Alloy 17x7.0 |
| 2004 | X-TYPE 3.0 Luxury | 225/45R17 91H | Continental | ContiTouring Contact | Andros Forged Alloy 17x7.0 |
| 2004 | | (R Performance Option) 225/40R18 | Pirelli | P Zero Nero | Melbourne 2-piece 18x7.5 |
| 2004 | X-Type | 255/45ZR17 | Pirelli | P Zero | Sport Cast Alloy 8x17 |
| 2004 | X-Type Estate Wgn | 225/45 R17 | Pirelli | P Zero | Andros Cast Alloy 7x17 |
| 2004 | X-Type Sports | 225/45 R17 | Pirelli | P Zero | Andros Cast Alloy 7x17 |
| 2004 | X-Type 2.5 | 205/55 HR16 | Pirelli | All Season | Tobago 7-Spoke Alloy 6.5x16 |
| 2004 | X-Type 3.0 Sports | 225/45 R17 | Pirelli | P Zero | Agulia 5x2-Spoke Alloy 7x17 |
| 2004 | X-Type 3.0 Sports | 225/45 R18 | Pirelli | P Zero | Aruba Cast Alloy 7.5x18 |
| 2004 | X-Type 3.0 Sports | 225/45 R18 | Pirelli | P Zero (Optional) | Melborne 2-Piece Alloy 7.5x18 |
| 2004 | X-Type 3.0 | 225/45 HR17 | Pirelli | All Season | Cayman Alloy 7x17 |
| 2005 | X-Type 2.5 | 205/55 HR16 | Pirelli | All Season | Tobago 7-Spoke Alloy 6.5x16 |
| 2005 | X-Type 3.0 | 225/45 HR17 | Pirelli | All Season | Cayman 7-Spoke 7x17 |
| 2005 | X-Type Wagon | 225/45 HR17 | Pirelli | All Season | Cayman 7-Spoke 7x17 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|-----------------------------|------------------------|-------------------------|-------------|---------------------------------|---|
| 2006 | X-Type 3.0 | 205/55 HR16 | | All Season | Antares 15-Spoke 6.5x16 |
| 2006 | X-Type 3.0 | 205/55 HR16 | | All Season | Tobago 7-Spoke 6.5x16 |
| 2006 | X-Type Sport Wagon | 225/45 HR17 | | All Season | Cayman 7-Spoke 7x17 |
| 2006 | X-Type 3.0 Sports | 225/45 HR17 | | All Season | Agulia 5x2-Spoke Alloy 7x17 |
| 2006 | X-Type 3.0 VDP | 225/45 HR17 | | All Season | Belize 12-Spoke 7x17 |
| 2006 | X-Type 3.0 | 225/40 ZR18 | | Optional All Models | Proteus 5-Spoke 7x18 Space Saver Spare |
| 2007 | X-Type 3.0 | 205/55 HR16 | | All Season | Antares 10-Spoke 6.5x16 |
| 2007 | X-Type Wagon | 225/45 HR17 | | All Season | Bermuda 5x2-Spoke 7x17 |
| 2007 | X-Type 3.0 Lux Pkg | 225/45 HR17 | | Optional | Belize 12-Spoke 7x17 |
| 2007 | X-Type 3.0 Lux Pkg | 225/40 ZR18 | Pirelli | P-Zero (Optional) All models | Aruba 15-Spoke 7x18 16 " Space Saver Spare |
| 2008 | X-Type 3.0 | 205/55 HR16 | | All Season | Antares 10-Spoke 6.5x16 |
| 2008 | X-Type Wagon | 225/45 HR17 | | All Season | Bermuda 5x2-Spoke 7x17 |
| 2008 | X-Type 3.0 Lux Pkg | 225/45 HR17 | | Optional | Belize 12-Spoke 7x17 |
| 2008 | X-Type 3.0 Lux Pkg | 225/40 ZR18 | Pirelli | P-Zero (Optional) All models | Aruba 15-Spoke 7.5x18 16 " Space Saver Spare |
| S-TYPE (See Note #6) | | | | | |
| 1999-01 | S-TYPE 3.0 | 225/55HR16 94H | Bridgestone | EL42 | Dynamic Cast Alloy 16x7.5 |
| | | (Option) 235/50ZR17 96Y | Pirelli | P Zero | Sport Cast Alloy 17x8.0 |
| 1999-01 | S-TYPE 4.0 | 225/55HR16 94H | Bridgestone | EL42 | Spirit Cast Alloy 16x7.5 |
| | | (Option) 235/50ZR17 96Y | Pirelli | P Zero | Sport Cast Alloy 17x8.0 |
| 2001 | (R Performance Option) | 245/40ZR18 97Y | Pirelli | P Zero | Monaco 2-piece 18x8 |
| 2002-04 | S-TYPE 3.0 | 225/55HR16 94H | Continental | CH95 | Artemis Cast Alloy 16x7.5 |
| 2002-04 | S-TYPE 4.2 | 235/50HR17 | Michelin | Pilot HX MXM4 | Kronos Cast Alloy 17x7.5 |
| 2002-04 | (Sport Option) | 235/50HR17 | Michelin | Pilot HX MXM4 | Herakles Cast Alloy 17x7.5 |
| 2002-03 | (Performance Option) | 245/40ZR18 97Y | Pirelli | P Zero A | Monaco 2-piece 18x8.0 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|---------|-------------------------|---|-------------|-----------------------|--|
| 2002-04 | S-TYPE 4.2R | (Front) 245/40ZR18 97Y (Rear) 275/35ZR18 | Continental | CSC1-R | Zeus Forged Alloy 18x8.0 |
| 2004 | (R Performance Option) | 245/40ZR18 97Y | Pirelli | P Zero A | Zeus Forged Alloy 18x9.5 |
| | | (Option) 245/40ZR18 97Y | Continental | ProContact | Monaco 2-piece 18x8.0 |
| 2004 | S-Type | 255/45ZR17 | Pirelli | P Zero | Sport Cast Alloy 8x17 |
| 2004 | S-Type Sports | 2_5/45ZR18 | Pirelli | P Zero | Triton Alloy 8x18 |
| 2004 | S-Type 3.0 | 225/55 R16 | | | Artemis Alloy 7.5x16 |
| 2004 | S-Type 4.2 | 235/50 R17 | | | Kronos Alloy 7.5x17 |
| 2004 | S-Type R | (Front) 245/40ZR18 (Rear) 275/35ZR18 | | | Zeus Alloy 8x18 Zeus Alloy 9.5x18 |
| 2005 | S-Type 3.0 | 235/50 R17 | | | Kronos Alloy 7.5x17 |
| 2005 | S-Type 3.0 Sport | 245/40 R18 | | | Triton Alloy 7.5x18 |
| 2005 | S-Type 3.0 Sport | 245/40 R18 | | | Mercury Alloy 7.5x18 |
| 2005 | S-Type 4.2 | 235/50 R17 | | | Juno Alloy 7.5x17 |
| 2005 | S-Type 4.2 Sport | 245/40 R18 | | | Triton Alloy 7.5x18 |
| 2005 | S-Type 4.2 Sport | 245/40 R18 | | | Mercury Alloy 7.5x18 |
| 2005 | S-Type VDP | 235/50 R17 | | All Season | Aurora Alloy 7.5x17 |
| 2005 | S-Type R | (Front) 245/40ZR18 (Rear) 275/35ZR18 | | | Vulcan Alloy 8x18 Vulcan Alloy 9.5x18 |
| 2006 | S-TYPE 3.0 | 235/50HR17 | | All Season | Antares 15-Thin Spoke 17x7.5 |
| 2006 | S-TYPE 4.2 | 235/50HR17 | | All Season | Juno 7-Spoke 17x7.5 |
| 2006 | S-TYPE 4.2 VDP | 235/50HR17 | | All Season | Aurora 7-Spoke 17x8 |
| 2006 | S-TYPE R | (Front) 245/40HR18 (Rear) 275/35HR18 | | Performance | Vulcan 5-Spoke 18x8 |
| | | | | Performance | Vulcan 5-Spoke 18x9.5 |
| 2006 | S-TYPE 3.0 Premium Pkg | 245/40HR18 | | All Season | Triton 10-Thin Spoke 18x8.5. |
| 2006 | S-TYPE 4.2 Premium Pkg | 245/40HR18 | | All Season | Triton 10-Thin Spoke 18x8.5 |
| 2006 | S-TYPE Aluminum Spt Pkg | 245/40HR18 | | All Season | Valencia 16-Thin Spoke 18x8.5 |
| 2007 | S-TYPE 3.0 | 235/50HR17 | | | Antares 17x7.5 |
| 2007 | S-TYPE 3.0 & 4.2 | 245/40HR18 | | All Season (Optional) | Triton 18x8 |
| 2007 | S-TYPE 4.2 | 235/50HR17 | | | Juno 17x7.5 |

| YEAR | MODEL / NOTE | | TIRE SIZE | MFG. | TIRE | WHEEL |
|------|---------------|---------|------------|------|------------|-------------------------------|
| 2007 | S-TYPE R | (Front) | 245/40ZR18 | | | Vulcan 18x8 |
| | | (Rear) | 275/35HR18 | | | Vulcan 18x9.5 |
| 2007 | S-TYPE R | | 275/30HR19 | | Optional | Barcelona 19x8 |
| 2008 | S-TYPE 3.0 V6 | | 245/40HR18 | | All Season | Triton 10 x 2 Thin Spoke 18x8 |
| 2008 | S-TYPE 4.2 V8 | | 245/40ZR18 | | All Season | Vulcan 5-Spoke 18x8 |
| 2008 | S-TYPE R V8 | (Front) | 245/35ZR19 | | | Barcelona 5x2-Spoke 19x8 |
| | | (Rear) | 275/30ZR19 | | | Barcelona 5x2-Spoke 19x9.5 |

XJ8-XJR (X308) (See Note #6)

| | | | | | | |
|---------|-------------------------|------------------------|----------------|----------|---------------|----------------------------|
| 1998-03 | XJ8/L | | 225/60ZR16 98W | Pirelli | P4000e/P6000 | Starburst Cast Alloy 7Jx16 |
| 1998-99 | XJR | | 255/40ZR18 95W | Pirelli | P Zero A | Penta Forged Alloy 8Jx18 |
| 2000-03 | XJR | | 255/40ZR18 95W | Pirelli | P Zero A | Asteroid Cast Alloy 8Jx18 |
| | | (R Performance Option) | 255/35ZR19 96W | Pirelli | P Zero A | Milan 2-piece 8.5x19 |
| 2001-03 | | (Alternate) | 225/60HR16 98W | Michelin | Pilot HX MXM4 | |
| 1998-00 | Vanden Plas | | 225/60ZR16 98W | Pirelli | P4000e | Crown Cast Alloy 7Jx16 |
| 2001-03 | Vanden Plas & Sovereign | | 225/60ZR16 98W | Pirelli | P6000 | Lunar Cast Alloy 7Jx16 |
| | | (Alternate) | 225/60HR16 98W | Michelin | Pilot HX MXM4 | |
| 2001-03 | Super V8 | | 235/50ZR17 98W | Pirelli | P6000 | Solar Cast Alloy 7.5x17 |
| 2001-03 | XJ Sport | | 255/40ZR18 95W | Pirelli | P Zero A | Penta Cast Alloy 8x18 |

XJ8-XJR (X350 Aluminum) (See Note #6)

| | | | | | | |
|------|-----------------|-------------|---------------|-------------|---------------|-------------------------------|
| 2004 | XJ8 4.2 | | 235/55R17 99H | Pirelli | P6 | Elegant Cast Alloy 7.5x17 |
| | | (Alternate) | 235/55R17 99H | Continental | CH95 | |
| 2004 | Vanden Plas | | 235/50R18 97H | Continental | CH95 | Dynamic Forged Alloy 8.0x18 |
| | | (Alternate) | 235/50R18 97H | Michelin | Pilot HX MXM4 | |
| 2004 | XJ8 | | 235/55 R17 | Pirelli | P Zero A | Elegant 10 -poke Alloy 7.5x17 |
| | Optional wheels | | 235/55 R19 | Pirelli | P Zero A | Matching Spare |
| | | | 235/50 R18 | Pirelli | P Zero A | Custom Cast Alloy 8.5 x 19 |
| | | | | | | Dynamic 8-spoke Alloy 8 x 18 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|------|-------------------------------|---------------------------------|---------------------|------------------------------|--|
| 2004 | XJR | 235/55 R18 255/40 R19 | Pirelli Pirelli | P Zero A P Zero A | Luxury Cast Alloy 8 x 18 R-Performance Alloy 8.5x19 Matching Spare |
| 2004 | Optional wheels VDP | 255/35 R20 255/40ZR18 | Pirelli Pirelli | P Zero A P Zero A | Sepang BBS 2-piece Alloy 8.5x20 Dynamic Cast Alloy 8x18 Matching Spare |
| 2004 | Concept 8 | 255/35ZR21 | Pirelli | P Zero A | Penta Cast Alloy 8x21 |
| 2004 | Super V8 Portfolio | 255/35ZR20 | Dunlop | P Zero A | Callisto 5-Spoke Alloy 9x20 |
| 2004 | Daimler (XLWB) | 225/60ZR16 | Pirelli | P Zero A | Penta Cast Alloy 7x16 |
| 2004 | XJR (R Performance Option) | 255/40R19 96Y 255/35ZR20 97Y | Pirelli Michelin | P Zero A Pilot Sport | Performance Forged Alloy 8.5x19 Sepang 2-piece 9.0x20 |
| 2005 | XJ8, XJ8L | 235/50 HR18 | | All Season | Dynamic 8-Spoke 8x18 |
| 2005 | VDP | 255/40 HR18 | | All Season | Rapier 20-Spoke 8x18 |
| 2005 | XJR | 255/40 HR19 | | All Season | Performance 5x2-Spoke 8.5x19 |
| 2005 | Super V8 | 255/40ZR19 | | | Custom 5-Spoke Star 8.5x19 |
| 2005 | XJR | 255/35ZR20 | | All models above Optional | Matching Spare Sepang 15-Spoke 8x20 Space Saver Spare |
| 2006 | VDP | 235/50 HR18 | | All Season | Dynamic 8-Spoke 8x18 |
| 2006 | VDP | 235/50 HR18 | | All Season | Rapier 20-Spoke 8x18 |
| 2006 | XJ8 & XJ8L | 235/50 R18 | | All Season | Tucana 15-Thin Spoke 8x18 |
| 2006 | XJR | 255/40 ZR19 | | | Sabre 5-Thick Spoke 8.5x19 |
| 2006 | XJ Super V8 | 255/40 ZR19 | | | Custom 5-Star Spoke 8.5x19 |
| 2006 | XJR | 255/35 ZR20 | | Optional | Sepang 15-Thin Spoke 8x20 |
| 2006 | XJ Super V8 | 255/35ZR20 | | Optional | Callisto Cast Alloy 8x20 |
| 2007 | XJ8 & XJ8L | 235/50 HR18 | | All Season | Tucana 15-Spoke 8x18 |
| 2007 | VDP | 235/50 HR18 | | All Season | Rapier Cast Alloy 8x18 |
| 2007 | XJR, Super V8 | 255/35ZR20 | | Optional | Sepang 15-Spoke 8x20 |
| 2007 | XJ Super V8 | 255/40ZR19 | | | Custom Cast Alloy 8.5x19 |
| 2007 | XJR | 255/40ZR19 | | All Models | Matching Full Size Spare Sabre Cast Alloy 8.5x19 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|------|-------------------------------|------------------|-------------|----------------------|--|
| 2007 | XJ8, XJ8L, VDP | 255/40ZR19 | | XJR Only Optional | Space Saver Spare Custom Cast Alloy 8x19 |
| 2007 | XJ8, XJ8L, VDP, XJR, Super V8 | 255/40ZR19 | | Optional | Custom <u>Chrome</u> Alloy 8x19 |
| 2008 | XJ8, XJ8L | 235/50 HR18 | | All Season | Tucana 15-Spoke 8x18 |
| 2008 | XJ8, XJ8L | 255/40 HR19 | | Optional | Polaris 5x2-Spoke 8.5x19 |
| 2008 | VDP | 255/40 HR19 | | All Season | Carelia 10-Thick Spoke 8.5x19 |
| 2008 | XJR | 255/35ZR20 | | | Cremona 5-Spoke 9x20 |
| 2008 | VDP | 255/35ZR20 | | Optional | Callisto 5-Spoke 9x20 |
| 2008 | XJ8 & XJ8L, VDP | 255/40ZR19 | | Optional | <u>Chrome</u> Sabre 5-Spoke 8.5x19 Matching Full Size Spare |
| 2008 | Super V8 | 255/40 HR19 | | All Season | Carelia 10-Thick Spoke 8.5x19 |
| 2008 | Super V8 | 255/35ZR20 | | | Callisto 5-Spoke 9x20 |
| 2008 | XJ8 & XJ8L, VDP | 255/40ZR19 | | Optional | <u>Chrome</u> Sabre 5-Spoke 8.5x19 Space Saver Spare |
| 2009 | XJ | Standard (Front) | 235/50 HR19 | All Season | Aleutian 10-Spoke 9x19 |
| | XJL | Optional (Rear) | 235/50 HR19 | All Season | Aleutian 10-Spoke 10x19 |
| 2009 | XJL | Standard (Front) | 255/40 HR19 | | Toba 5-Spoke 9x19 |
| | XJ | Optional (Rear) | 235/50 HR19 | All Season | Toba 5-Spoke 10x19 |
| 2009 | XJ, XJL | Optional (Front) | 255/35ZR20 | | Amirante 8x2-Short Spoke w/Disc 9x20 |
| | Supercharged | Optional (Rear) | 235/50 HR20 | All Season | Amirante 8x2- Short Spoke w/Disc 10x20 |
| | Supersport | Optional | | | |
| 2009 | Supercharged XJ & XJL | Standard (Front) | 255/40ZR20 | | Kasuga 10x2-Spoke 9x20 |
| | XJ, XJL, Supersport | Optional (Rear) | 235/50 HR20 | All Season | Kasuga 10x2-Spoke 10x20 |
| 2009 | All XJ models | Optional (Front) | 255/40ZR20 | | Kasuga Polished 10x2-Spoke 9x20 |
| | | (Rear) | 235/50 HR20 | All Season | Kasuga Polished 10x2-Spoke 10x20 |
| 2009 | All XJ models | Optional (Front) | 255/40ZR20 | | Orona 8-Spoke 9x20 |
| | | (Rear) | 235/50 HR20 | All Season | Orona 8-Spoke 10x20 |
| 2009 | All XJ models | Optional (Front) | 255/40ZR20 | | Orona Polished 8-Spoke 9x20 |
| | | (Rear) | 235/50 HR20 | All Season | Orona Polished 8-Spoke 10x20 |
| 2009 | XJ & XJL Supersport | Standard (Front) | 255/40ZR20 | | Mataiva 5x3-Thin Spoke 9x20 |
| | | (Rear) | 235/50 20 | All Season | Mataiva 5x3-Thin Spoke 10x20 |
| | | | | | Matching Full Size Spare |
| 2009 | Super V8 | | 255/40 HR19 | All Season | Carelia 10-Thick Spoke 8.5x19 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|-------------------------------------|---------------------------------------|---|----------------------------|--|---|
| 2009 | Super V8 | | | 255/35ZR20 | Callisto 5-Spoke 9x20 |
| 2009 | XJ8 & XJ8L, VDP | | | 255/40ZR19 | Optional Chrome Sabre 5-Spoke 8.5x19 Space Saver Spare |
| <u>XK8-XKR (See Note #6)</u> | | | | | |
| 1997-99 | XK8 & '97 Nieman Marcus | 245/50ZR17 | Pirelli | P Zero | Revolver Alloy 17x8 (Chrome Optional) |
| 1997-99 | XK8 Option | (Front) 245/45ZR18 (Rear) 255/45ZR18 | Pirelli Pirelli | P Zero P Zero | 7 Flute 18x8 7 Flute 18x9 |
| 2000-02 | XK8 | 245/50ZR17 | Pirelli | P Zero | Lamina 5-spoke Alloy 17x8 |
| 2002-02 | XK8 Option | (Front) 245/45ZR18 (Rear) 255/45ZR18 | Continental Continental | ContiSport Contact ContiSport Contact | Impeller Double 7-spoke Alloy 18x8 Impeller Double 7-spoke Alloy 18x9 |
| 2000-02 | XKR | (Front) 245/45ZR18 (Rear) 255/45ZR18 | Continental Continental | ContiSport Contact ContiSport Contact | Double 5 10-spoke Alloy 18x8 Double 5 10-spoke Alloy 18x9 |
| 2001 | XKR Silverstone & 02-04 XKR Option | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | P Zero P Zero | Detroit BBS 5-spoke Alloy 20x9 2-piece Detroit BBS 5-spoke Alloy 20x10 2-piece |
| 2002 | XKR 100 & 02-04 XKR Option | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | P Zero P Zero | Montreal BBS 9-spoke Alloy 20x9 2-piece Montreal BBS 9-spoke Alloy 20x10 2-piece |
| 2003 | XK8 | (Front) 245/45ZR18 (Rear) 255/45ZR18 | Continental Continental | ContiSport Contact ContiSport Contact | Centaur 7-spoke Alloy 18x8 Centaur 7-spoke Alloy 18x9 |
| 2003 | XK8 Option | (Front) 245/40ZR19 (Rear) 255/40ZR19 | Pirelli Pirelli | P Zero P Zero | Apollo 5-spoke Alloy 19x8 Apollo 5-spoke Alloy 19x9 |
| 2003 | XKR | (Front) 245/45ZR18 (Rear) 255/45ZR18 | Continental Continental | ContiSport Contact ContiSport Contact | Hydra Double 7-spoke Alloy 18x8 Hydra Double 7-spoke Alloy 18x9 |
| 2002-04 | XKR Option | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | P Zero P Zero | Paris BBS 5-spoke Alloy 20x9 2-piece Paris BBS 5-spoke Alloy 20x10 2-piece |
| 2004 | XK8 | (Front) 245/45ZR18 | Continental | ContiSport Contact | Centaur 7-spoke Alloy 18x8 |
| 2004 | XKR | 245/45ZR18 | Continental | P Zero | Hydra Alloy 18x8 |
| 2004 | XKR Portfolio | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | P Zero P Zero | Detroit BBS 5-spoke Alloy 20x9 2-piece Detroit BBS 5-spoke Alloy 20x10 2-piece |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|------|------------------|---|----------------------------|---|---|
| 2004 | XKR Premium | (Front) 245/50ZR19 (Rear) 245/50ZR19 | Pirelli Pirelli | P Zero P Zero | Atlas Alloy 19x8 Atlas Alloy 19x8 |
| 2004 | XKR Performance | (Front) 245/50ZR20 (Rear) 245/50ZR20 | Pirelli Pirelli | P Zero P Zero | Detroit, Sepang Alloy 20x8 Lamina 5-spoke Alloy 20x9 |
| 2004 | XKR Performance | (Front) 245/50ZR20 (Rear) 245/50ZR20 | Pirelli Pirelli | P Zero P Zero | Montreal BBS 2-piece Alloy 8x20 Lamina 5-spoke Alloy 8x20 |
| 2004 | XKR Portfolio | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | P Zero P Zero | BBS 2-piece Alloy 8x20 BBS 2-piece Alloy 8x20 |
| | | | | Optional Wheels Optional Wheels Optional Wheels | Detroit R Performance 8x20 Paris R Performance 8x20 Montreal R Performance 8x20 |
| 2005 | XK8 | 245/40ZR18 | Continental | | Aris 14-Twin Spoke 8x18 |
| 2005 | XK8 | 245/50ZR17 | Pirelli | | Gemini (Canada Only) 8x17 |
| 2005 | XKR | 245/45ZR18 | Pirelli | | Hydra 8x18 |
| 2005 | XK8 Carbon Fiber | (Front) 245/40ZR19 (Rear) 255/40ZR19 | Pirelli Pirelli | P Zero P Zero | Atlas 10-spoke Alloy 8x19 Atlas 10-spoke Alloy 8x19 |
| | Optional | (Front) 245/40ZR18 (Rear) 255/40ZR18 | Pirelli Pirelli | P Zero P Zero | Aris 14-Twin Spoke 8x18 Aris 14-Twin Spoke 8x18 |
| | Optional | (Front) 245/40ZR20 (Rear) 255/40ZR20 | Pirelli Pirelli | P Zero P Zero | BBS Sepang 15- Spoke 8x20 BBS Sepang 15- Spoke 8x20 |
| 2005 | XKR | (Front) 245/40ZR19 (Rear) 255/40ZR19 | Pirelli Pirelli | P Zero P Zero | Hydra 14-Twin Spoke Alloy 8x19 Hydra 14-Twin Spoke Alloy 9x19 |
| 2005 | XKR | | | Optional Wheel | BBS 8x20 |
| 2005 | XKR Premium | (Front) 245/50ZR19 (Rear) 245/50ZR19 | Pirelli Pirelli | P Zero P Zero | Aris Alloy 8x19 Aris Alloy 8x19 |
| 2005 | XKR Premium | (Front) 245/40ZR19 (Rear) 245/40ZR19 | Pirelli Pirelli | P Zero P Zero | Atlas Alloy 8x19 Atlas Alloy 8x19 |
| 2005 | XKR Premium | (Front) 245/50ZR19 (Rear) 245/50ZR19 | Pirelli Pirelli | P Zero P Zero | Hydra Alloy 8x19 Hydra Alloy 8x19 |
| 2005 | XKR | (Front) 245/40ZR19 (Rear) 255/40ZR19 | Continental Continental | | Hydra 14-Twin Spoke Alloy 8x19 Hydra 14-Twin Spoke Alloy 9x19 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|------|-------------------|---|--------------------|----------------------------------|---|
| 2005 | XKR (Optional) | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | | Montreal 9-Spoke Alloy 8x20 Montreal 9- Spoke Alloy 8x20 |
| 2005 | XKR | (Front) 245/40ZR19 (Rear) 255/40ZR19 | Pirelli Pirelli | P Zero P Zero | Atlas 10-Spoke Alloy 8x19 Atlas 10-Spoke Alloy 8x19 |
| 2005 | XK8 (Optional) | (Front) 245/40ZR19 (Rear) 255/40ZR19 | Pirelli Pirelli | P Zero P Zero | Atlas 10-Spoke Alloy 8x19 Atlas 10-Spoke Alloy 8x19 |
| 2005 | XKR (Optional) | (Front) 255/35ZR20 (Rear) 255/35ZR20 | Pirelli Pirelli | P Zero P Zero | Atlas 10-Spoke Alloy 8x20 Atlas 10-Spoke Alloy 8x20 |
| 2005 | XKR (Optional) | 235/50 R17 | | (Canada Only) | Gemini 10-Spoke Star 8x17 |
| 2006 | XK8 | 245/45ZR18 | Continental | (US Standard) | Aris 14-Twin Spoke 18x8 |
| 2006 | XK8 | 245/45ZR18 | Continental | (Canadian Optional) | Aris 14-Twin Spoke 18x8 |
| 2006 | XKR | 245/45ZR18 | Continental | | Hydra 14-Twin Spoke 18x8 |
| 2006 | XK8 VE | (Front) 245/40ZR19 (Rear) 255/40ZR19 | Pirelli Pirelli | (Canadian Std) (Canadian Std) | Atlas Alloy 19x8 Atlas Alloy 19x8 |
| 2006 | XKR (Optional) | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | | Detroit 5-Spoke Alloy 20x8 Detroit 5- Spoke Alloy 20x8 |
| 2006 | XKR (Optional) | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | | Montreal 9-Spoke Alloy 20x8 Montreal 9-Spoke Alloy 20x8 |
| 2006 | XKR (Optional) | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | | Sepang 15-Thni Spoke Alloy 20x8 Sepang 15- Thin Spoke Alloy 20x8 |
| 2006 | XK8 | 235/50ZR17 | | All Season | Gemini (Canada Only) 17x8 |
| 2006 | XK8 Ltd Ed | (Front) 245/40ZR19 (Rear) 255/40ZR19 | Pirelli Pirelli | P Zero P Zero | Atlas 10-Spoke Alloy 19x8 Atlas 10-Spoke Alloy 19x8 |
| 2006 | XKR Ltd Ed (Optl) | (Front) 245/40ZR19 (Rear) 255/40ZR19 | Pirelli Pirelli | P Zero P Zero | Atlas 10-Spoke Alloy 19x8 Atlas 10-Spoke Alloy 19x8 |
| 2006 | XKR Ltd Ed | (Front) 255/35ZR20 (Rear) 285/30ZR20 | Pirelli Pirelli | | Perseus 16-Spoke Alloy 20x8 Perseus 16-Spoke Alloy 20x8 |
| 2007 | XK8 | (Front) 245/45ZR18 (Rear) 275/40ZR18 | | | Venus 7-Spoke 18x8 Venus 7-Spoke 18x8 |
| 2007 | XK8 | (Front) 245/40ZR19 (Rear) 275/35ZR19 | | | Carelia 10-Spoke 19x8 Carelia 10-Spoke 19x8 |
| 2007 | XK8 | (Front) 255/35ZR20 | | Sparkle Silver Finish | Sabre 5-Spoke 20x8 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|------|--------------|---|--------------------|--|--|
| 2007 | XK8/XKR | (Rear) 285/30ZR20 (Front) 255/35ZR20 | | Sparkle Silver Finish | Sabre 5-Spoke 20x8 Senta 5x2-Spoke 20x8 |
| 2007 | XKR | (Rear) 285/30ZR20 (Front) 245/40ZR19 | | | Senta 5x2-Spoke 20x8 Jupiter 5x2-Spoke 19x8 |
| 2007 | XKR | (Rear) 275/35ZR19 (Front) 255/35ZR20 | | | Jupiter 5x2-Spoke 19x8 Cremona 5-Spoke 20x8 |
| | | (Rear) 285/30ZR20 | | | Cremona 5-Spoke 20x8 |
| 2008 | XK8 | (Front) 245/45ZR18 (Rear) 275/40ZR18 | | | Venus 7-Spoke 18x8.5 Venus 7-Spoke 18x9.5 |
| 2008 | XK8 | (Front) 245/40XR19 (Rear) 275/35XR19 | | Optional | Carelia 10-Spoke 19x8.5 |
| 2008 | XK8/XKR | (Front) 245/40ZR19 (Rear) 275/35ZR19 | | Optional Run Flat | Carelia 10-Spoke 19x9.5 |
| 2008 | XK8/XKR | (Front) 255/35ZR20 (Rear) 285/30ZR20 | | Optional Run Flat | Sabre <u>Chrome</u> 5-Spoke 19x8.5 |
| 2008 | XK8/XKR | (Front) 245/40XR19 (Rear) 275/35XR19 | | Optional | Sabre <u>Chrome</u> 5-Spoke 19x9.5 |
| 2008 | XK8/XKR | (Front) 255/35ZR20 (Rear) 285/30ZR20 | | Optional | Senta 5x2-Spoke 20x9 |
| 2008 | XK8/XKR | (Front) 245/40XR19 (Rear) 275/35XR19 | | Optional | Senta 5x2-Spoke 20x9.5 |
| 2008 | XKR-S | (Front) 255/35ZR20 (Rear) 295/30ZR20 | Pirelli Pirelli | P-Zero P-Zero | Jupiter 5x2-Spoke 19x8.5 Jupiter 5x2-Spoke 19x9.5 Vortex 14-Spoke 20x8 Vortex 14-Spoke 20x8 |
| 2009 | XK8 Coupe | (Front) 245/40ZR20 (Rear) 275/35ZR20 | | Coupe Only Coupe Only | Takoba 5-Spoke 20x8.5 Takoba 5-Spoke 20x9.5 |
| 2009 | XK8 | (Front) 245/40XR19 (Rear) 275/35XR19 | | | Carelia 10-Spoke 19x8.5 Carelia 10-Spoke 19x9.5 |
| 2009 | XK8/XKR | (Front) 245/40ZR19 (Rear) 275/35ZR19 | | Optional Run Flat Optional Run Flat | Sabre <u>Chrome</u> 5-Spoke 19x8.5 Sabre <u>Chrome</u> 5-Spoke 19x9.5 |
| 2009 | XK8/XKR | (Front) 255/35ZR20 (Rear) 285/30ZR20 | | Optional Optional | Senta 5x2-Spoke 20x9 Senta 5x2-Spoke 20x9.5 |
| 2009 | XK8 | (Front) 245/40XR19 (Rear) 275/35XR19 | | | Jupiter 5x2-Spoke 19x8.5 Jupiter 5x2-Spoke 19x9.5 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|--|--------------|---|------|----------------------|--|
| <i>Red italics indicates that the tire sizes need to be confirmed as they are not available from the 2010 dealer brochure.</i> | | | | | |
| 2010 | XK | <i>(Front)245/40ZR19</i> <i>(Rear)275/35ZR19</i> | | Standard Standard | Caravela 10x2-Spoke 19x8.5 Caravela 10x2-Spoke 19x9.5 |
| 2010 | XKR | <i>(Front)245/40XR19</i> <i>(Rear)275/35XR19</i> | | Standard Standard | Tamana 5x2-V Spoke 19x8.5 Tamana 5x2-V Spoke 19x9.5 |
| 2010 | XKR | <i>(Front)245/40XR19</i> <i>(Rear)275/35XR19</i> | | Run Flat Run Flat | Artura <u>Painted</u> 10-Spoke 19x8.5 Artura <u>Painted</u> 10-Spoke 19x9.5 |
| 2010 | XKR | <i>(Front)245/40XR19</i> <i>(Rear)275/35XR19</i> | | Run Flat Run Flat | Artura <u>Chrome</u> 10-Spoke 19x8.5 Artura <u>Chrome</u> 10-Spoke 19x9.5 |
| 2010 | XKR | <i>(Front)245/40XR20</i> <i>(Rear)275/35XR20</i> | | Optional Optional | Nevis 7 Slotted-Spoke 20x8.5 Nevis 7 Slotted-Spoke 20x9.5 |
| 2010 | XKR | <i>(Front)255/35ZR20</i> <i>(Rear)285/30ZR20</i> | | Optional Optional | Kalimnos Twin 5x2-Spoke 20x8.5 Kalimnos Twin 5x2-Spoke 20x9.5 |

| YEAR | MODEL / NOTE | TIRE SIZE | MFG. | TIRE | WHEEL |
|--------------------------------|---------------|---|--------------------|--------------------|---|
| <u>XF (See Note #6)</u> | | | | | |
| 2008 | XF 4.2 V8 | 245/45 R18 | 96H | Continental | All Season Cygnus 5-Spoke 18x8.5 |
| 2008 | XF 4.2 V8 | 245/40 R19 | 94H | Continental | All Season Auriga 11-Spoke 19x8.5 |
| 2008 | XF 4.2 V8 | 235/30 R20 | 97YXL | Pirelli | Performance Selena 5 x 3-Spoke 20x8.5 Space Saver |
| 2008 | XF 4.2 S/C V8 | (Front) 255/35 R20 (Rear) 285/30 R20 | 97Y X/L 99Y X/L | Pirelli Pirelli | Performance Volans 5-Spoke 20x8.5 Performance Volans 5-Spoke 20x9.5 |
| 2009 | XF 4.2 V8 | 245/45 HR18 | | | All Season Cygnus 5-Spoke 18x8.5 |
| 2009 | XF 4.2 V8 | 245/40 HR19 | | | All Season Auriga 11-Spoke 19x8.5 |
| 2009 | XF 4.2 V8 | 235/30 R20 | | | Performance Selena 5 x 3-Spoke 20x8.5 Space Saver |
| 2009 | XF 4.2 S/C V8 | (Front) 255/35 ZR20 (Rear) 285/30 ZR20 | | | Performance Volans 5-Spoke 20x8.5 Performance Volans 5-Spoke 20x9.5 Space Saver |
| 2010 | XF 4.2 V8 | 245/45 HR18 | | | All Season Cygnus 5-Spoke 8.5x18 |
| 2010 | XF 4.2 V8 | 245/45 HR20 | | | All Season Senta 5x2-Spoke 8.5x20 |
| 2010 | XF 4.2 V8 | 245/40 HR19 | | | All Season Artura 10-Spoke 8.5x 19 |
| 2010 | XF 4.2 V8 | 245/40 HR19 | | | All Season Artura <u>Chrome</u> 10-Spoke 8.5x19 |
| 2010 | XF 4.2 V8 | 245/45 HR19 | | | All Season Carelia 10-Spoke 8.5x19 |
| 2010 | XFR | (Front) 245/45 HR20 (Rear) 285/30 ZR20 | | | Nevis 7 Slotted-Spoke 8.5x20 Nevis 7 Slotted-Spoke 9.5x20 Space Saver |

(Notes below referring to tire judging exceptions will be moved to Chapter V or VI during the next revision.)

General: Tires are considered expendable. Replacement tires must be the same (or equivalent) size and construction (bias/radial) as originally found on the car when delivered by the Jaguar factory or offered by Jaguar Cars as optional equipment. **See exceptions in Chapter VI.** In order to ensure that the car will maintain the proper stance and original appearance, replacement tires must maintain the same aspect ratio as the OEM. The size molded into the tire will be accepted as proof of currently exhibited size (example: 6.40 x 15 or 185 x 15). Sidewall or stripe/color or width is currently optional. Universal Tire Company, Lancaster, PA, British Wire Wheel, Fresno, CA or Coker Tire, Chattanooga, TN are sources for hard to find tires.

Notes:

1. 4.75 x 18 tires deleted from manufacturer's listings in Oct.89.
2. 6.70 x 16 newly available from Dunlop.
3. In May 1963, Service Bulletin M.7 stated that Dunlop SP tyres (a radial tire) are suitable for use on MK2 Jaguars; all MK2's may therefore be equipped with either bias ply or radial tires of the prescribed size.
4. In light of a Jaguar Service Bulletin, stating that 185 x 15 tires were a proper replacement for Series 1 E-type tires, delegates to the 1997 AGM voted that either 6.40 x 15 or 185 x 15 size tires would be considered authentic for Series 1 E-types. Further, that 185/70 x 15 tires, (purchased prior to 1997) shown on Series 2 E-types, would also be considered authentic.
5. During 1972-1974, the tire industry experienced near-chaos as it changed industry standards and nomenclature. The original equipment Dunlop ER7015VR is available through several manufacturers in either the original size or equivalent: P205/70VR15
6. For cars manufactured, beginning in the late 1990's, there is a stick on the driver's door jam specifying the correct tire size as specified by the manufacturer.

Acknowledgments: Original list and sizes compiled by the Northwest Regional Jaguar Clubs. Footnote research by Ed Miller. The list was originally formatted for JCNA by Dick Howe. Additional vintage tyre information was provided by Phillip Pollock of Vintage Tyre Supplies Ltd., Middlesex, England. Updated and reformatted for the 1997 6th Reordered Edition. Tyre and wheel information listed after model year 2001 updated by Jaguar Cars. Reformatted and edited by Stew Cleave and Dick Cavicke, with the help of the JCRC, Gregory Andrachuk, and Doug Dwyer for Edition 8.1 per the 2004 AGM.

TIRE SPEED RATINGS (The following is provided courtesy of The Tire Rack www.tirerack.com)

Over the years, tire speed rating symbols have been marked on tires in one of the three ways shown in the following examples:

225/50SR16; 225/50SR16 89S or 225/50R16 89S

Early tires had their speed rating symbol shown "within" the tire size, such as **225/50SR16**. Tires using this designation were **not** to have been produced after 1991:

225/50SR16 - 112 mph; **225/50HR16** - 130 mph; **225/50VR16** - in excess of 130 mph.

Beginning in 1991, the speed rating symbol denoting the fixed maximum speed capability was shown only in the speed rating portion of the tire's service description, such as **225/50R16 89S**. Common speed rating symbols, maximum speeds and typical applications are shown below:

| | |
|--|--|
| N 87 mph, Temporary Spare Tires | T 118 mph, Family Sedans & Vans |
| P 93 mph | U 124 mph |
| Q 99 mph, Studless & Studdable Winter Tires | H 130 mph, Sport Sedans & Coupes |
| R 106 mph, H.D. Light Truck Tires | V 149 mph, 240 Sport Sedans, Coupes & Sports Cars |
| S 112 mph, Family Sedans & Vans | |

When **Z**-speed rated tires were first introduced, they were thought to reflect the highest tire speed rating that would ever be required, in excess of 149 mph. While **Z**-speed rated tires are capable of speeds in excess of 149 mph, how far above 149 mph was not indicated. That ultimately caused the industry to add **W** and **Y** speed ratings to identify tires that met the needs of new vehicles that have extremely high top-speed capabilities:

W 168 mph, Exotic Sports Cars; **Y** 186 mph, Exotic Sports Cars.

While a **Z**-speed rating still often appears in the tire size designation, such as **225/50ZR16 91W**, the **Z** in the size signifies a maximum speed capability in excess of 149 mph; the **W** in the service description indicates the tire's 168 mph, maximum speed.

225/50ZR16 in excess of 149 mph; **205/45ZR17 88W** 168 mph; **285/35ZR19 99Y** 186 mph.

Recently, when the **Y**-speed rating indicated in the service description is enclosed in parenthesis, such as **285/35ZR19 (99Y)**, the top speed of the tire has been tested in excess of 186 mph, indicated by the service description as shown below:

285/35ZR19 99Y 186 mph; **285/35ZR19 (99Y)** in excess of 186 mph.

Image above provided by TC Kopke.

How to read a tire sidewall

