

## Appendix A List of Production Models

Marque	Note	Model/Engine Capacity	Announced	Years	
				Current	
Swallow		Austin Seven 2-Seater, 747 cc	1927	1927-1932	
Swallow		Austin Seven Saloon, 747 cc	1928	1928-1932	
Swallow		Fiat 509A Saloon, 990 cc	1929	1929-1930	
Swallow		Standard 9 Saloon, 1287 cc	1929	1930-1932	
Swallow		Swift 10 Saloon, 1190 cc	1929	1930-1931	
Swallow		Standard 16 Saloon, 2054 cc	1931	1931-1932	
Swallow		Wolseley Hornet 2-Seater, 1271 cc	1930	1931-1932	
Swallow		Wolseley Hornet 4-Seater, 1271 cc	1931	1931-1932	
Swallow		Wolseley Hornet Special (2&4 Seater), 1271 cc	1932	1932-1933	
S.S.	(1)	S.S. I Coupe, 2054/2552 cc	1931	1932-1933	
Swallow		Morris Cowley 2-Seater, 1550 cc	1927	1927-1928	
S.S.		S.S. I Coupe/Saloon/Tourer, 2143/2663 cc	1933	1933-1936	
S.S.		S.S. II Coupe, 1052 cc	1931	1932-1933	
S.S.		S.S. II Coupe/Saloon, 1343/1608 cc	1933	1934-1936	
S.S.		S.S. I Airline Saloon, 2143/2663 cc	1934	1935-1936	
S.S.		S.S. I Drophead Coupe, 2143/2663 cc	1935	1935-1936	
S.S.		S.S. 90 2-Seater Sports, 2663 cc	1935	1935	
S.S.	(2)	Jaguar "1½" s.v. Saloon, 1608 cc	1935	1936-1937	
S.S.	(3)	Jaguar "2½" o.h.v. Saloon & Tourer, 2663 cc	1935	1936-1937	
S.S.		Jaguar 100, 2-Seater Sports, 2663 cc	1935	1936-1940	
S.S.		Jaguar 100, 2-Seater Sports, 3485 cc	1938	1938-1940	
Jaguar		Saloon, Drophead Coupe, 1776/2663/3485 cc	1945	1945-1948	
Jaguar		Mark V Saloon/Drophead Coupe, 2663/3485 cc	1948	1949-1951	
Jaguar	(4)	XK 120 Open 2-Seater, 3442 cc	1948	1949-1954	
Jaguar		Mark VII Saloon, 3442 cc	1950	1950-1954	
Jaguar		XK 120 Fixed-Head Coupe, 3442 cc	1951	1951-1954	
Jaguar	(8)	XK 120C (C-type), 3442 cc	1951	1951-1953	
Jaguar		XK 120 Drophead Coupe, 3442 cc	1953	1953-1954	
Jaguar	(5)	D-Type, 3442 cc	1954	1955-1957	
Jaguar		XK 140 FHC/DHC/Open, 3442 cc	1955	1955-1957	
Jaguar		2.4L (MK I) Saloon, 2483 cc	1955	1955-1959	
Jaguar		Mark VIIM Saloon, 3442 cc	1955	1955-1956	
Jaguar		Mark VIII Saloon, 3442 cc	1956	1956-1959	
Jaguar		XK SS, 3442 cc	1957	1957	
Jaguar		3.4-litre (MK I) Saloon, 3442 cc	1957	1957-1959	
Jaguar		XK 150 FHC/DHC, 3442 cc	1957	1957-1961	
Jaguar		XK 150 Open 2-Seater, 3442 cc	1958	1958-1961	
Jaguar		XK 150S FHC/DHC/Open, 3442 cc	1958	1958-1961	
Jaguar		Mark IX Saloon, 3781 cc	1958	1958-1961	
Jaguar		XK 150 FHC/DHC/Open 3781 cc	1959	1959-1961	
Jaguar		XK 150S FHC/DHC/Open, 3781 cc	1959	1959-1961	

<b>Marque</b>	<b>Note</b>	<b>Model/Engine Capacity</b>	<b>Announced</b>	<b>Years Current</b>
Jaguar	(6)	Mark 2 Saloon, 2483/3442/3781 cc	1959	1959-1967
Jaguar		E-Type (3.8) Coupe/Open, 3781 cc	1961	1961-1964
Jaguar	(6)	Mark 10 (3.8) Saloon/Limo, 3781 cc	1961	1961-1964
Jaguar	(6)	S-Type Saloon, 3442/3781 cc	1963	1963-1968
Jaguar		E-Type (4.2) Coupe/Open, 4235 cc	1964	1964-1967
Jaguar		E-Type (4.2) Coupe/Open, 4235 cc	1967	1967-1968
Jaguar	(6)	Mark 10 (4.2) Saloon/Limo, 4235 cc	1964	1964-1966
Jaguar		E-Type 2+2 Coupe, 4235 cc	1966	1966-1967
Jaguar		E-Type 2+2 Coupe, 4235 cc	1967	1967-1968
Jaguar	(6)	420 Saloon, 4235 cc	1966	1966-1968
Jaguar	(6)	420G Saloon/Limo, 4235 cc	1966	1966-1970
Jaguar		340 Saloon, 3442 cc	1967	1967-1969
Jaguar		240 Saloon, 2483 cc	1967	1967-1970
Jaguar		Series 2 E-Type 2+2/Open/Coupe 4235 cc	1968	1968-1970
Jaguar		Series 1 XJ Saloon, 2781/4235 cc	1968	1968-1973
Jaguar		Series 3 E-Type 2+2/Open, 5343 cc	1971	1971-1975
Jaguar	(6)	Series 1 XJ12 Saloon, 5343 cc	1972	1972-1973
Jaguar		XJ6C 2-Door, 4-Seat, 4235 cc	1973	1975-1977
		Pillarless Hardtop Coupe (U.S. 74-76 only)		
Jaguar	(6)	XJ12C 2-Door, 4-Seat, 5343 cc	1973	1975-1977
		Pillarless Hardtop Coupe (U.S. 74-76 only)		
Jaguar		Series 2 XJ6, XJ 12	1973	1973-1974
Jaguar		Series 2 XJ6L & XJ12L Saloon, 6 cyl. (4235 cc) & 12 cyl. (5343 cc), WB 113 in.	1973	1973-1979
Jaguar		XJ-S 2-Door Coupe, 5343 cc	1975	1975-1996
Jaguar		Series III XJ12 Saloon	1979	1979-1982
Jaguar		Series III, XJ6 Saloon, 4235 cc	1979	1979-1987
Jaguar	(6)	Series III, V12 Saloon, 5343 cc	1981	1982-1992
Jaguar	(6)	XJ6 (XJ40) and Vanden Plas 3.6L	1986	1986-1989
Jaguar		XJ-SC (Cabriolet) 3.6L	1985	1986-1988
Jaguar		XJ-SC (Cabriolet) 5.3L	1986	1986-1988
Jaguar		XJ-S Coupe, 3.6L	1985	1986-1990
Jaguar		XJ-S Convertible - Hess and Eisenhardt 5.3L (USA only)	1986	1986-1988
Jaguar		XJ-S Factory 5.3L Convertible	1988	1988-1992
Jaguar		Sport XJR-S 5.3L	1988	1988-1989
Jaguar		Sport XJR6 3.6L	1988	1988-1989
Jaguar		Majestic (XJ40) 3.6 (USA only)	1989	1989 only
Jaguar	(6)	XJ (XJ40) Saloon 4.0L	1989	1989-1994
Jaguar		Sport XJR-S 6.0L Ltd. Edition	1989	1989
Jaguar		XJ-S Rouge 5.3L	1989	1990
Jaguar		Sport XJR-6 (XJ40) 4.0L	1990	1990-1994
Jaguar	(7)	XJ-S Classic Collection	1990	1990-1991

See Owner's Manual for Exact Tire Specifications  
JCNA Concours Rule Book – 2017 Edition

<b>Marque</b>	<b>Note</b>	<b>Model/Engine Capacity</b>	<b>Announced</b>	<b>Years Current</b>
Jaguar		XJS (Re-styled) 4.0L & 5.3L	1991	1992-1996
Jaguar	(6)	XJ12 (XJ40) and Vanden Plas 5.3L	1993	1993-1994
Jaguar	(6)	XJ (X300) 4.0L & 5.3L	1994	1994-1997
Jaguar		XJR (X300) 4.0L	1994	1994-1997
Jaguar		XK8 Coupe and Convertible	1996	1997-2006
Jaguar		XJ & XJR V8 4.0L (X308)	1997	1998-2003
Jaguar		S-TYPE 3.0L & 4.0L	1998	1999-2007
Jaguar		XKR Coupe and Convertible	1999	1999-2006
Jaguar		XKR Silverstone	2000	2000-2001
Jaguar		X-TYPE	2002	2002-2007
Jaguar		S-Type R	2002	2002-2007
Jaguar		XJ8/R (X350 Aluminum)	2003	2004-2009
Jaguar		XK & XKR Coupe and Convertible	2006	2007-On
Jaguar		XF	2007	2008-On
Jaguar		XJ	2010	2010-On
Jaguar		F-TYPE	2013	2013-On
Jaguar		F-PACE	2016	2016-On
Jaguar		XE	2016	2016-On

**NOTES:**

- (1) The S.S. I Coupe was re-styled during 1932.
- (2) This was the last side-valve engined car produced by the Company.
- (3) These and all new models, up to and including the Mark V, had o.h.v. pushrod engines.
- (4) The XK 120 and all subsequent Jaguars have had overhead camshaft engines.
- (5) Several of the D-types were subsequently run with 2.4, 3.8, or 3.9-liter engines.
- (6) Models also produced in Daimler variants.
- (7) Due to non-compliance with California Air Resources Board regulations, 1991 XJ-S models could not be sold there and 1990 models with identical Classic Collection specs and features were substituted.
- (8) Descriptive Terminology, e.g. "XK 120C" taken from factory literature.

**Notes:**

## Appendix B

### Original Equipment Tire and Wheel Information for SS & Jaguar Cars

The following information is based on the best data available and is for use in judging. Some non-North American and International models may not be included. This information may be superseded either by the tire and wheel data contained in the Owner's Manual for a specific model Jaguar or by the Tire Recommendation Plate attached to the car. Recommendations for additions or corrections to this appendix are encouraged and may be sent to the Chairman of the Judge's Concours Rules Committee (the address can be found in the Clubs, JCNA Committees Section of the *Jaguar Journal*). A copy of the page(s) of the applicable Owner's Manual, or a photo of the Tire Recommendation Plate, specifying the tire size and/or wheel description, should accompany all submissions.

<b>YEAR</b>	<b>MODEL / NOTE</b>	<b>TIRE SIZE</b>	<b>MFG.</b>	<b>TIRE</b>	<b>WHEEL</b>
<b><u>SS</u></b>					
1931-32	S.S. 1 Coupe	5.50 x 18	Dunlop	Fort 90	60 Spoke
1931-33	S.S. 2 Coupe <sup>1</sup>	4.75 x 18	Dunlop	Fort 90	48 Spoke
1932-36	S.S. 1 Coupe/Saloon/Tourer	5.50 x 18	Dunlop	Fort 90	60 Spoke
1933-34	S.S. 2 Coupe/Saloon	4.75 x 18	Dunlop	Fort 90	60 Spoke
1934-36	S.S. 2 Tourer	4.75 x 18	Dunlop	Fort 90	60 Spoke
1934-36	S.S. 1 Airline	5.50 x 18	Dunlop	Fort 90	60 Spoke
1935-35	S.S. 1 Drop Head Coupe	5.50 x 18	Dunlop	Fort 90	60 Spoke
1935-35	S.S. 90	5.50 x 18	Dunlop	Fort 90	60 Spoke
1935-37	S.S. Jaguar 1½ s.v. Saloon <sup>1</sup>	4.75 x 18	Dunlop	Fort 90	60 Spoke
1935-37	S.S. Jaguar 2½ o.h.v. Saloon/Tourer	4.75/5.50 x 18	Dunlop	Fort 90	60 Spoke
1935-41	S.S. Jaguar 100 2½, 3½	5.25/5.50 x 18	Dunlop	Fort 90	60 Spoke
1935-38	S.S. Jaguar 1½ All Steel Saloon	4.75/5.25 x 18	Dunlop	Fort 90	60 Spoke
1935-38	S.S. Jaguar 2½, 3½ All Steel Saloon\DHC	5.50 x 18	Dunlop	Fort 90	60 Spoke
<b><u>MKIV</u></b>					
1945-48	1½, 2½, 3½ Jaguar (Mk IV)	5.50 x 18	Dunlop	Fort 90	60 Spoke
<b><u>MKV</u></b>					
1948-50	MK V <sup>2</sup>	6.70 x 16	Dunlop	Super Comfort	Pressed Steel 5x16

<b>YEAR</b>	<b>MODEL / NOTE</b>	<b>TIRE SIZE</b>	<b>MFG.</b>	<b>TIRE</b>	<b>WHEEL</b>
<b><u>XKs</u></b>					
1948-54	XK 120	6.00 x 16	Dunlop	Roadspeed RS4 (Later RS5) & Racing	Pressed Steel 4½x16, 5x16 54 Spoke Wire 5x16
1954-57	XK 140	6.00 x 16	Dunlop Racing	Roadspeed RS5	Pressed Steel 5x16, 54 Spoke Wire 5x16
1957-61	XK 150	6.00 x 16	Dunlop Racing	Roadspeed RS5	Pressed Steel 5½x16 54 Spoke Wire 5x16, June '58 - 60 Spoke Wire 5x16
<b><u>C and D Types, XK SS</u></b>					
1951-54	XK 120C (C-Type)	(Front) 6.00 x 16 (Rear) 6.50 x 16	Dunlop	Racing	54 Spoke (Early) 60 Spoke (Late)
1955-57	D-Type & 1957 XK SS	6.50 x 16	Dunlop	Racing	5.00 x 16 light alloy perforated disc
<b><u>Large Saloons</u></b>					
1950-57	MK VII, MK VIIM <sup>2</sup>	6.70 x 16	Dunlop	Super Comfort	Pressed Steel 5x16
1956-59	MK VIII <sup>2</sup>	6.70 x 16	Dunlop	Super Comfort	Pressed Steel 5x16
1958-61	MK IX <sup>2</sup>	6.50/6.70 x 16	Dunlop	Super Comfort	Pressed Steel 5½x16
1961-64	MK 10 (3.8)	7.50 x 14	Dunlop	Roadspeed RS5	Pressed Steel 5½x14
1964-66	MK 10 (4.2)	205 x 14	Dunlop	SP-41 (Radial)	Pressed Steel 5½x14
1966-68	420G	205 x 14	Dunlop	SP-41 (Radial)	Pressed Steel 5½x14
<b><u>Small Saloons</u></b>					
1955-59	2.4 (MK 1)	6.40 x 15	Dunlop	Super Balloon	Pressed Steel 4½x15 72 Spoke Wire 4½x15
1955-59	3.4 (MK 1)	6.40 x 15	Dunlop	Roadspeed RS4	Pressed Steel 4½x15 72 Spoke Wire 4½x15 after chassis #127785-lhd
1959-67	MK 2 (2.4, 3.4, 3.8) Factory authorized <sup>3</sup>	6.40 x 15 185HR15	Dunlop Dunlop	Roadspeed RS5 SP-41 (Radial)	Pressed Steel 5x15 72 Spoke Wire 5x15
1963-68	3.4S, 3.8S	6.40 x 15	Dunlop	Roadspeed RS5	Pressed Steel 5½x15
	radial after 3.4-1B25084 & 3.8-1B75382	185HR15	Dunlop	SP-41/SP-68 (Radial)	72 Spoke Wire 5½x15
1966-68	420	6.40 x 15 185 HR15	Dunlop Dunlop	Roadspeed RS5 SP-41 (Radial)	Pressed Steel 5½x15 72 Spoke Wire 5½x15
1967-69	240, 340	6.40 x 15 185HR15	Dunlop Dunlop	Roadspeed RS5 SP-41 (Radial)	Pressed Steel 5½x15 Optional 72 Spoke Wire 5½x15

<b>YEAR</b>	<b>MODEL / NOTE</b>	<b>TIRE SIZE</b>	<b>MFG.</b>	<b>TIRE</b>	<b>WHEEL</b>
<b><u>E-Types</u></b>					
1961-67	E-Type (Ser 1) 3.8, 4.2 <sup>4</sup>	6.40 x 15	Dunlop	Roadspeed RS5	Pressed Steel 5x15
			Dunlop	Racing	72 Spoke Wire 5x15
1967-68	(Option after 10/65) E-Type (Ser 1½) 4.2 <sup>4</sup>	185HR15	Dunlop	SP-41 (Radial)	
		185HR15	Dunlop	SP-41 (Radial)	Pressed Steel 6x15
1968-70	Series 2 E-Type	185HR15	Dunlop	SP-41 (Radial)	72 Spoke Wire 6x15
				Slotted Pressed Steel 5x15 (Optional)	
1971-75	Series 3 E-Type <sup>5</sup>	ER70VR15	Dunlop	SP Sport (Radial)	Astro Pressed Steel 6x15
					Triple Laced 72 Spoke Wire 6x15
<b><u>XJ6/12 Series 1</u></b>					
1968-73	Series 1 XJ6, XJ12, XJ6L, XJ12L <sup>5</sup>	ER70VR15	Dunlop	SP Sport	Slotted Pressed Steel 6x15
<b><u>XJ6/12 Series 2</u></b>					
1973-79	Series 2 XJ6, XJ6L, XJ6C, XJ12, XJ12L, XJ12C <sup>5</sup>	ER70VR15	Dunlop	Formula 70	Slotted Pressed Steel 6x15
		205/70VR15	Dunlop	SP Sport	Slotted Pressed Steel 6x15
				(XJ12 1977-79) 5-Spoke Kent Polished	
<b><u>XJ6/12 Series III</u></b>					
1979	Series III XJ6	ER70VR15	Dunlop	Formula 70	SP Sport Pressed Steel w/ Trim Ring 6Jx15
1979-87	Series III XJ6	ER70VR15	Dunlop	Formula 70	5-Spoke Kent Alloy 6x15
		205/70VR15	Pirelli	P5	5-Spoke Kent Alloy 6x15
		215/70VR15	Dunlop	Formula 70	5-Spoke Kent Alloy
1979-82	Series III XJ12	215/70VR15	Dunlop	Formula 70	5-Spoke Kent Alloy
1982-92	Series III V12	215/70VR15	Pirelli	P5	Ogle Perforated Alloy or 5-Spoke Kent Alloy
1984-87	XJ6 Sovereign	215/70VR15	Pirelli	P5	Ogle Perforated Alloy

<b>YEAR</b>	<b>MODEL / NOTE</b>	<b>TIRE SIZE</b>	<b>MFG.</b>	<b>TIRE</b>	<b>WHEEL</b>
<b><u>XJS</u></b>					
1975-81	XJS Coupe	205/70VR15	Dunlop	SP Super	5-Spoke Kent Alloy 6JKx15
		205/70VR15	Pirelli	P5 Super	5-Spoke Kent Alloy 6JKx15
		205/70VR15	Michelin	XWX Super	5-Spoke Kent Alloy 6JKx15
1981-86	XJS HE and XJS 3.6	215/70VR15	Pirelli	P5	5-Spoke Starfish (Grey Highlights) 6.5x15
	(Non-US)	P215/70VR15	Dunlop	SP Super D7	Ogle Perforated Alloy 6x15
1986-88	XJSC Cabriolet XJS V12	(Non-US) P215/70VR15	Pirelli	P5	5-Spoke Starfish (Grey Highlights) 6.5x15
		215/70VR15	Pirelli	P5 or	Lattice 6.5JKx15, 03/88-on, or
		215/70VR15	Dunlop	D7 Sport Super	5-Spoke Starfish 6.5JKx15
1988	XJR-S Le Mans	245/55ZR16	Dunlop	D-40-M2	Radial Alloy 7x16
1989-91	XJS	235/70VR15	Pirelli	P600	Lattice 6.5JKx15
					5-Spoke Starfish
1991	XJS Classic	215/70VR15	Pirelli	P5	Lattice 6.5JJx15 (Body Highlights or Chrome)
		235/60ZR15	Goodyear	Eagle NCT60	Lattice 15x6.5J (Plain or Chrome)
1992	XJS (Redesigned)	235/60ZR15	Goodyear	Eagle NCT60	Lattice 7x15
1993	XJS	235/60VR15	Pirelli	P4000	Lattice 6.5x15
	XJR-S JaguarSport	(Front) 225/50ZR16	Goodyear	Eagle NCT60	JaguarSport Rectangular Slotted 8x16
		(Rear) 245/55ZR16			
		(Spare) 205/70R15			Speedline Alloy Spare
		(Spare) 205/70R15	Dunlop	D7	Speedline 7.5x15
1994	XJS 6 cyl	235/60ZR15	Goodyear	NTC	Lattice (US Standard) 6.5x15
	XJS 6 cyl Sport	225/55VR16	Pirelli	P600	Alloy Painted 5-Spoke 7x16
	XJS 12 cyl	225/60ZR16	Pirelli	P4000E	5-Spoke Diamond Turned Gold 7x16
1995-96	XJS 6 cyl	225/60ZR16	Pirelli	P4000	5-Spoke Diamond Turned 7x16
1995	XJS 12 cyl	225/55VR16	Pirelli	P4000E	20-Spoke Diamond Turned 7Jx16 (Chrome 5-Spoke optional)
1996	XJS Convertible	225/60ZR16	Pirelli	P4000E	Diamond Turned 11-Slot Aero Sport 7Jx16



YEAR	MODEL / NOTE	TIRE SIZE	MFG.	TIRE	WHEEL
<b><u>XJ6/12 (XJ40)</u></b>					
1987-92	XJ6	205/70VR15	Pirelli	P5	Radial Alloy 7x15
1993	XJ6	225/65ZR15	Pirelli	P4000	(XJ6) Radial 7x15, (VP) Roulette 7x15
1994	XJ6	225/60ZR16	Pirelli	P4000E	Kiwi Alloy 7x16
1994	XJ12 (early)	225/60ZR16	Pirelli	P4000E	Lattice 7x16
1994	XJ12 (late)	225/60ZR16	Pirelli	P4000	20 Spoke Alloy 7x16
1994	Vanden Plas	225/60ZR16	Pirelli	P4000E	Aero Alloy 7x16
<b><u>XJ220</u></b>					
1988	XJ220 Prototype	295/40ZR17	Pirelli	P Zero	Speedline One-piece Alloy 9x17
1991	XJ220	(Front) 255/45ZR17 (Rear) 345/35ZR18	Bridgestone Bridgestone	Expedia Expedia,	Speedline One-piece Alloy 9x17 Speedline One-piece Alloy 14x18
1993	XJ220C	(Front) 250/640R18 (Rear) 315/655R18	Dunlop Dunlop	Racing Slicks Racing Slicks	JaguarSport Speedline 10x18 JaguarSport Speedline 13x18
<b><u>XJ6 (X300) (See Apx B, Note #6, pg Apx B 37)</u></b>					
1995-97	XJ6 & '97 XJ6L	225/60ZR16	Pirelli	P4000e	Dimple Cast Alloy-Diamond Polished 7Jx16
1995	Vanden Plas	225/60ZR16	Pirelli	P4000e	Aero Cast Alloy-Diamond Polished 7Jx16
1996-97	Vanden Plas	225/60ZR16	Pirelli	P4000e	20-spoke Cast Alloy-Diamond Polished 7Jx16
1995-96	XJ12	225/60ZR16	Pirelli	P4000e	20 Spoke Cast Alloy-Diamond Polished 7Jx16
1995-97	XJR	255/45ZR17	Pirelli	P Zero	Sport Cast Alloy 8x17







YEAR	MODEL / NOTE	TIRE SIZE	MFG.	TIRE	WHEEL
<b><u>X-TYPE (2004-2007)</u></b> (See Apx B, Note #6, pg Apx B 37)					
2002-02.5	X-TYPE 2.5	205/55R16 91H	Continental	Conti Touring Contact	X-10 Cast Alloy 16x6.5
2002-02.5	X-TYPE 3.0	205/55R16 91H	Continental	ContiTouring Contact	X-5 Cast Alloy 16x6.5
2002		(Option) 225/45R17	Pirelli	P Zero A-Sport	X-10 Sport Cast Alloy 17x7.0
2002.5		(Option) 225/45R17	Continental	ContiSport Contact	X-10 Sport Cast Alloy 17x7.0
2003	X-TYPE 2.5	205/55R16 91H	Continental	ContiTouring Contact	X-10 Cast Alloy 16x6.5
2003	X-TYPE 3.0	225/45R17 91H	Continental	ContiTouring Contact	X-7 Flute Cast Alloy 17x7.0
		(Option)225/45R17 91H	Continental	ContiTouring Contact	X-10 Sport Cast alloy 17x7.0
		(Option) 225/45R17 91H	Continental	ContiTouring Contact	X-Triple 5 Cast Alloy 17x7.0
	(R Performance Option)	225/40R18	Pirelli	P Zero Nero	Melbourne 2-piece 18x7.5
	(R Performance Option)	225/40R18	Pirelli	P Zero Nero	Indianapolis 2-piece 18x7.5
2004	X-TYPE 2.5	205/55R16 91H	Continental	ContiTouring Contact	Tobago Cast Alloy 16x6.5
2004	X-TYPE 3.0	225/45R17 91H	Continental	ContiTouring Contact	Cayman Forged Alloy 17x7.0
2004	X-TYPE 3.0 Sport	225/40R18	Pirelli	P Zero Nero	Aruba Forged Alloy 18x7.5
2004	(Option w/Sport)	225/45R17 91H	Continental	ContiTouring Contact	X-Ten Sport Cast Alloy 17x7.0
2004	X-TYPE 3.0 Luxury	225/45R17 91H	Continental	ContiTouring Contact	Andros Forged Alloy17x7.0
2004	(R Performance Option)	225/40R18	Pirelli	P Zero Nero	Melbourne 2-piece 18x7.5
2004	X-Type	255/45ZR17	Pirelli	P Zero	Sport Cast Alloy 8x17
2004	X-Type Estate Wgn	225/45 R17	Pirelli	P Zero	Andros Cast Alloy 7x17
2004	X-Type Sports	225/45 R17	Pirelli	P Zero	Andros Cast Alloy 7x17
2004	X-Type 2.5	205/55 HR16	Pirelli	All Season	Tobago 7-Spoke Alloy 6.5x16
2004	X-Type 3.0 Sports	225/45 R17	Pirelli	P Zero	Agulia 5x2-Spoke Alloy 7x17
2004	X-Type 3.0 Sports	225/45 R18	Pirelli	P Zero	Aruba Cast Alloy 7.5x18
2004	X-Type 3.0 Sports	225/45 R18	Pirelli	P Zero (Optional)	Melborne 2-Piece Alloy 7.5x18
2004	X-Type 3.0	225/45 HR17	Pirelli	All Season	Cayman Alloy 7x17
2005	X-Type 2.5	205/55 HR16	Pirelli	All Season	Tobago 7-Spoke Alloy 6.5x16
2005	X-Type 3.0	225/45 HR17	Pirelli	All Season	Cayman 7-Spoke 7x17
2005	X-Type Wagon	225/45 HR17	Pirelli	All Season	Cayman 7-Spoke 7x17




YEAR	MODEL / NOTE	TIRE SIZE	MFG.	TIRE	WHEEL
2006	X-Type 3.0	205/55 HR16		All Season	Antares 15-Spoke 6.5x16
2006	X-Type 3.0	205/55 HR16		All Season	Tobago 7-Spoke 6.5x16
2006	X-Type Sport Wagon	225/45 HR17		All Season	Cayman 7-Spoke 7x17
2006	X-Type 3.0 Sports	225/45 HR17		All Season	Agulia 5x2-Spoke Alloy 7x17
2006	X-Type 3.0 VDP	225/45 HR17		All Season	Belize 12-Spoke 7x17
2006	X-Type 3.0	225/40 ZR18		Optional All Models	Proteus 5-Spoke 7x18 Space Saver Spare
2007	X-Type 3.0	205/55 HR16		All Season	Antares 10-Spoke 6.5x16
2007	X-Type Wagon	225/45 HR17		All Season	Bermuda 5x2-Spoke 7x17
2007	X-Type 3.0 Lux Pkg	225/45 HR17		Optional	Belize 12-Spoke 7x17
2007	X-Type 3.0 Lux Pkg	225/40 ZR18	Pirelli	P-Zero (Optional) All models	Aruba 15-Spoke 7x18 16 in. Space Saver Spare
2008	X-Type 3.0	205/55 HR16		All Season	Antares 10-Spoke 6.5x16
2008	X-Type Wagon	225/45 HR17		All Season	Bermuda 5x2-Spoke 7x17
2008	X-Type 3.0 Lux Pkg	225/45 HR17		Optional	Belize 12-Spoke 7x17
2008	X-Type 3.0 Lux Pkg	225/40 ZR18	Pirelli	P-Zero (Optional) All models	Aruba 15-Spoke 7.5x18 16 in. Space Saver Spare
2009	X-Type 3.0	205/55 HR16		All Season	Antares 10-Spoke 6.5x16
2009	X-Type Wagon	225/45 HR17		All Season	Bermuda 5x2-Spoke 7x17
2009	X-Type 3.0 Lux Pkg	225/45 HR17		Optional	Belize 12-Spoke 7x17
2009	X-Type 3.0 Lux Pkg	225/40 ZR18	Pirelli	P-Zero (Optional)	Aruba 15-Spoke 7.5x18
<b>S-TYPE</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>					
1999-01	S-TYPE 3.0	225/55HR16 94H	Bridgestone	EL42	Dynamic Cast Alloy 16x7.5
		(Option) 235/50ZR17 96Y	Pirelli	P Zero	Sport Cast Alloy 17x8.0
1999-01	S-TYPE 4.0	225/55HR16 94H	Bridgestone	EL42	Spirit Cast Alloy 16x7.5
		(Option) 235/50ZR17 96Y	Pirelli	P Zero	Sport Cast Alloy 17x8.0
2001	(R Performance Option)	245/40ZR18 97Y	Pirelli	P Zero	Monaco 2-piece 18x8
2002-04	S-TYPE 3.0	225/55HR16 94H	Continental	CH95	Artemis Cast Alloy 16x7.5
2002-04	S-TYPE 4.2	235/50HR17	Michelin	Pilot HX MXM4	Kronos Cast Alloy 17x7.5
2002-04	(Sport Option)	235/50HR17	Michelin	Pilot HX MXM4	Herakles Cast Alloy 17x7.5
2002-03	(Performance Option)	245/40ZR18 97Y	Pirelli	P Zero A	Monaco 2-piece 18x8.0

<b>YEAR</b>	<b>MODEL / NOTE</b>	<b>TIRE SIZE</b>	<b>MFG.</b>	<b>TIRE</b>	<b>WHEEL</b>
2002-04	S-TYPE 4.2R	(Front) 245/40ZR18 97Y (Rear) 275/35ZR18	Continental	CSC1-R	Zeus Forged Alloy 18x8.0
2004	(R Performance Option)	245/40ZR18 97Y	Pirelli	P Zero A	Zeus Forged Alloy 18x9.5
	(Option)	245/40ZR18 97Y	Continental	ProContact	Monaco 2-piece 18x8.0
2004	S-Type	255/45ZR17	Pirelli	P Zero	Sport Cast Alloy 8x17
2004	S-Type Sports	2_5/45ZR18	Pirelli	P Zero	Triton Alloy 8x18
2004	S-Type 3.0	225/55 R16			Artemis Alloy 7.5x16
2004	S-Type 4.2	235/50 R17			Kronos Alloy 7.5x17
2004	S-Type R	(Front) 245/40ZR18 (Rear) 275/35ZR18			Zeus Alloy 8x18 Zeus Alloy 9.5x18
2005	S-Type 3.0	235/50 R17			Kronos Alloy 7.5x17
2005	S-Type 3.0 Sport	245/40 R18			Triton Alloy 7.5x18
2005	S-Type 3.0 Sport	245/40 R18			Mercury Alloy 7.5x18
2005	S-Type 4.2	235/50 R17			Juno Alloy 7.5x17
2005	S-Type 4.2 Sport	245/40 R18			Triton Alloy 7.5x18
2005	S-Type 4.2 Sport	245/40 R18			Mercury Alloy 7.5x18
2005	S-Type VDP	235/50 R17		All Season	Aurora Alloy 7.5x17
2005	S-Type R	(Front) 245/40ZR18 (Rear) 275/35ZR18			Vulcan Alloy 8x18 Vulcan Alloy 9.5x18
2006	S-TYPE 3.0	235/50HR17		All Season	Antares 15-Thin Spoke 17x7.5
2006	S-TYPE 4.2	235/50HR17		All Season	Juno 7-Spoke 17x7.5
2006	S-TYPE 4.2 VDP	235/50HR17		All Season	Aurora 7-Spoke 17x8
2006	S-TYPE R	(Front) 245/40HR18 (Rear) 275/35HR18		Performance	Vulcan 5-Spoke 18x8
2006	S-TYPE 3.0 Premium Pkg	245/40HR18		Performance	Vulcan 5-Spoke 18x9.5
2006	S-TYPE 4.2 Premium Pkg	245/40HR18		All Season	Triton 10-Thin Spoke 18x8.5.
2006	S-TYPE Aluminum Spt Pkg	245/40HR18		All Season	Triton 10-Thin Spoke 18x8.5 Valencia 16-Thin Spoke 18x8.5

YEAR	MODEL / NOTE		TIRE SIZE	MFG.	TIRE	WHEEL
2007	S-TYPE 3.0		235/50HR17			Antares 17x7.5
2007	S-TYPE 3.0 & 4.2		245/40HR18		All Season (Optional)	Triton 18x8
2007	S-TYPE 4.2		235/50HR17			Juno 17x7.5
2007	S-TYPE R	(Front)	245/40ZR18			Vulcan 18x8
		(Rear)	275/35HR18			Vulcan 18x9.5
2007	S-TYPE R		275/30HR19		Optional	Barcelona 19x8
2008	S-TYPE 3.0 V6		245/40HR18		All Season	Triton 10 x 2 Thin Spoke 18x8
2008	S-TYPE 4.2 V8		245/40ZR18		All Season	Vulcan 5-Spoke 18x8
2008	S-TYPE R V8	(Front)	245/35ZR19			Barcelona 5x2-Spoke 19x8
		(Rear)	275/30ZR19			Barcelona 5x2-Spoke 19x9.5
<b><u>XJ8-XJR (X308)</u></b> (See Apx B, Note #6, pg Apx B 37)						
1998-03	XJ8/L		225/60ZR16 98W	Pirelli	P4000e/P6000	Starburst Cast Alloy 7Jx16
1998-99	XJR		255/40ZR18 95W	Pirelli	P Zero A	Penta Forged Alloy 8Jx18
2000-03	XJR		255/40ZR18 95W	Pirelli	P Zero A	Asteroid Cast Alloy 8Jx18
		(R Performance Option)	255/35ZR19 96W	Pirelli	P Zero A	Milan 2-piece 8.5x19
2001-03		(Alternate)	225/60HR16 98W	Michelin	Pilot HX MXM4	
1998-00	Vanden Plas		225/60ZR16 98W	Pirelli	P4000e	Crown Cast Alloy 7Jx16
2001-03	Vanden Plas & Sovereign		225/60ZR16 98W	Pirelli	P6000	Lunar Cast Alloy 7Jx16
		(Alternate)	225/60HR16 98W	Michelin	Pilot HX MXM4	
2001-03	Super V8		235/50ZR17 98W	Pirelli	P6000	Solar Cast Alloy 7.5x17
2001-03	XJ Sport		255/40ZR18 95W	Pirelli	P Zero A	Penta Cast Alloy 8x18
<b><u>XJ8-XJR (X350 Aluminum)</u></b> (See Apx B, Note #6, pg Apx B 37)						
2004	XJ8 4.2		235/55R17 99H	Pirelli	P6	Elegant Cast Alloy 7.5x17
		(Alternate)	235/55R17 99H	Continental	CH95	
2004	Vanden Plas		235/50R18 97H	Continental	CH95	Dynamic Forged Alloy 8.0x18
		(Alternate)	235/50R18 97H	Michelin	Pilot HX MXM4	
2004	XJ8		235/55 R17	Pirelli	P Zero A	Elegant 10 -poke Alloy 7.5x17
						Matching Spare

<b>YEAR</b>	<b>MODEL / NOTE</b>	<b>TIRE SIZE</b>	<b>MFG.</b>	<b>TIRE</b>	<b>WHEEL</b>
	Optional wheels	235/55 R19	Pirelli	P Zero A	Custom Cast Alloy 8.5 x 19
		235/50 R18	Pirelli	P Zero A	Dynamic 8-spoke Alloy 8 x 18
		235/55 R18	Pirelli	P Zero A	Luxury Cast Alloy 8 x 18
2004	XJR	255/40 R19	Pirelli	P Zero A	R-Performance Alloy 8.5x19
					Matching Spare
	Optional wheels	255/35 R20	Pirelli	P Zero A	Sepang BBS 2-piece Alloy 8.5x20
2004	VDP	255/40ZR18	Pirelli	P Zero A	Dynamic Cast Alloy 8x18
					Matching Spare
2004	Concept 8	255/35ZR21	Pirelli	P Zero A	Penta Cast Alloy 8x21
2004	Super V8 Portfolio	255/35ZR20	Dunlop	P Zero A	Callisto 5-Spoke Alloy 9x20
2004	Daimler (XLWB)	225/60ZR16	Pirelli	P Zero A	Penta Cast Alloy 7x16
2004	XJR	255/40R19 96Y	Pirelli	P Zero A	Performance Forged Alloy 8.5x19
	(R Performance Option)	255/35ZR20 97Y	Michelin	Pilot Sport	Sepang 2-piece 9.0x20
2005	XJ8, XJ8L	235/50 HR18		All Season	Dynamic 8-Spoke 8x18
2005	VDP	255/40 HR18		All Season	Rapier 20-Spoke 8x18
2005	XJR	255/40 HR19		All Season	Performance 5x2-Spoke 8.5x19
2005	Super V8	255/40ZR19			Custom 5-Spoke Star 8.5x19
				All models above	Matching Spare
2005	XJR	255/35ZR20		Optional	Sepang 15-Spoke 8x20
					Space Saver Spare
2006	VDP	235/50 HR18		All Season	Dynamic 8-Spoke 8x18
2006	VDP	235/50 HR18		All Season	Rapier 20-Spoke 8x18
2006	XJ8 & XJ8L	235/50 R18		All Season	Tucana 15-Thin Spoke 8x18
2006	XJR	255/40 ZR19			Sabre 5-Thick Spoke 8.5x19
2006	XJ Super V8	255/40 ZR19			Custom 5-Star Spoke 8.5x19
2006	XJR	255/35 ZR20		Optional	Sepang 15-Thin Spoke 8x20
2006	XJ Super V8	255/35ZR20		Optional	Callisto Cast Alloy 8x20

<b>2007 XJ</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>						
	18" Rapier	18" Tucana	19" Custom	19" Custom Chrome	19" Sabre	20" Sepang Modular
XJ8/XJ8L	Optional	Standard	Optional	Optional	Optional	N/A
Vanden Plas	Standard	Optional	Optional	Optional	Optional	N/A
XJR	N/A	N/A	Optional	Optional	Standard	Optional
XJR Super V8	N/A	N/A	Standard	Optional	Standard	Optional
	All Season 235/50 HR18	All Season 235/50 HR18	All Season 255/40 ZR19	All Season 255/40 ZR19	255/40 HR19	255/35 ZR20
Matching Full Size Spare Wheel and Tire. XJR Only- Space Saver Spare						

<b>2008 XJ</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>						
	18" Tucana	19" Carelia	19" Chrome Sabre	19" Polaris	20" Callisto	20" Cremona
XJ8/XJ8L	Standard			Standard		
Vanden Plas		Standard				
XJR						Standard
XJR Super V8					Standard	
	All Season 235/50 HR 18	All Season 255/40 HR 19	All Season 255/40 HR 19	All Season 255/40 HR 19	255/35 ZR 20	255/35 ZR 20

Lightweight Alloy Space Saver Spare Wheel and Tire or Matching Full Size Spare

<b>2009 XJ</b> (See Apx B, Note #6, pg Apx B 37)									
	19" Aleutian	19" Toba	19" Toba Polished	20" Amirante	20" Kasuga	20" Kasuga Polished	20" Orona	20" Orona Polished	20" Mataiva
	19" Aleutian	19" Toba	19" Toba Polished	20" Amirante	20" Kasuga	20" Kasuga Polished	20" Orona	20" Orona Polished	20" Mataiva
XJ	Standard	Optional	Optional	Optional	Optional	Optional	Optional	Optional	N/A
XJL	Optional	Standard	Optional	Optional	Optional	Optional	Optional	Optional	N/A
XJ/XJL Supercharged	N/A	N/A	N/A	Optional	Standard	Optional	Optional	Optional	N/A
XJ/XJL Supersport	N/A	N/A	N/A	Optional	Optional	Optional	Optional	Optional	Standard

Lightweight Alloy Space Saver Spare Wheel and Tire or Matching Full Size Spare

Front 235/50HR19, Rear 235/50HR19, Front 255/40HR19, Rear 235/50HR19, Front 255/40ZR19, Rear 255/40ZR19

Front 255/35ZR20, Rear 255/35ZR20, Front 255/40ZR20, Rear 235/50ZR20

<b>2010 XJ</b> (See Apx B, Note #6, pg Apx B 37)										<b>WHEELS</b>
	19" Aleutian	19" Toba	19" Toba Polished	20" Amirante	20" Kasuga	20" Kasuga Polished	20" Orona	20" Orona Polished	20" Mataiva	<b>WHEEL SPECIFICATIONS</b> Aleutian 9.0J x 19" (front) 10.0J x 19" (rear) alloy wheels Toba 9.0J x 19" (front) 10.0J x 19" (rear) alloy wheels Toba Polished 9.0J x 19" (front) 10.0J x 19" (rear) alloy wheels Amirante 9.0J x 20" (front) 10.0J x 20" (rear) alloy wheels Kasuga 9.0J x 20" (front) 10.0J x 20" (rear) alloy wheels Kasuga Polished 9.0J x 20" (front) 10.0J x 20" (rear) alloy wheels Orona 9.0J x 20" (front) 10.0J x 20" (rear) alloy wheels Orona Polished 9.0J x 20" (front) 10.0J x 20" (rear) alloy wheels Mataiva 9.0J x 20" (front) 10.0J x 20" (rear) alloy wheels
XJ	Standard	NCO	Optional	Optional	Optional	Optional	Optional	Optional	N/A	
XJL	No Cost Option	Standard	Optional	Optional	Optional	Optional	Optional	Optional	N/A	
XJ/XJL Supercharged	N/A	N/A	N/A	No Cost Option	Standard	Optional	No Cost Option	Opt	N/A	
XJ/XJL Supersport	N/A	N/A	N/A	No Cost Option	NCO	Opt	No Cost Option	Opt	Standard	

Lightweight Alloy Space Saver Spare Wheel and Tire or Matching Full Size Spare

Front 245/45-ZR19, Rear 275/40-ZR19

Front 245/40 ZR20, Rear 275/35 ZR20















<b>2011 XJ</b> (See Apx B, Note #6, pg Apx B 37)									
	19" Toba	19" Toba Polished	19" Aleutian	20" Kasuga	20" Kasuga Polished	20" Orona	20" Orona Polished	20" Amirante	20" Mataiva
XJ	Available	Available	Available	Available	Available	Available	Available		
XJ Supercharged	Available	Available	Available	Available	Available	Available	Available	Available	
XJ Supersport	Available	Available	Available	Available	Available	Available	Available	Available	Available

Lightweight Alloy Space Saver Spare Wheel and Tire or Matching Full Size Spare  
 Front P245/45R19, Rear P245/45R19  
 Front 255/40 R19, Rear 255/40 R19  
 Front 245/40ZR20, Rear 275/35ZR20  
 Front 255/35ZR20, Rear 255/35 R20

<b>2012 XJ</b> (See Apx B, Note #6, pg Apx B 37)									
	19" Aleutian	19" Toba	19" Toba Polished	20" Amirante	20" Kasuga	20" Kasuga Polished	20" Mataiva	20" Orona	20" Orona Polished
XJ	Standard	Optional	Optional	N/A	Optional	Optional	N/A	Optional	Optional
XJL	Optional	Standard	Optional	N/A	Optional	Optional	N/A	Optional	Optional
XJ & XJL Supercharged	Optional	Optional	Optional	Optional	Standard	Optional	N/A	Optional	Optional
XJ & XJL Supersport	Optional	Optional	Optional	Optional	Optional	Optional	Standard	Optional	Optional

Lightweight Alloy Space Saver Spare Wheel and Tire or Matching Full Size Spare  
 Front P245/45R19, Rear P275/40R19  
 Front 245/40ZR20, Rear 275/35ZR20

<b>2013 XJ</b> (See Apx B, Note #6, pg Apx B 37)										
	19" Aleutian	19" Toba Polished	19" Toba	20" Kasuga Polished	20" Kasuga	20" Maroa	20" Mataiva	20" Orona Polished	20" Orona	20" Venom
XJ	Available	Available	Available	Available	Available		Available	Available	Available	
XJL Supersport							Available			
XJ Supersport with Speed Pack										Available
XJ Supercharged with Sport and Speed Pack										Available
XJL Ultimate						Available				

<b>2014 XJ</b> (See Apx B, Note #6, pg Apx B 37)										
	19" Aleutian	19" Toba Painted	19" Toba Polished	20" Farallon	20" Farallon Sparkle	20" Kasuga	20" Kasuga Polished	20" Mataiva	20" Orona Diamon	20" Orona Polished
XJ AWD & RWD	Standard	Available	Available	Available	Available	Available	Available	Available	Available	Available
XJ RWD Supercharged	Available	Available	Available	Available	Available	Standard	Available	Available	Available	Available
XJL R RWD	Available	Available	Available	Available	Standard	Available	Available	Available	Available	Available
XJL AWD	Available	Standard	Available	Available	Available	Available	Available	Available	Available	Available
XJL RWD Portfolio	Available	Standard	Available	Available	Available	Available	Available	Available	Available	Available
XJL RWD Supercharged	Available	Available	Available	Available	Available	Standard	Available	Available	Available	Available
XJR RWD	Available	Available	Available	Standard	Available	Available	Available	Available	Available	Available
XJR LWB	Available	Available	Available	Standard	Available	Available	Available	Available	Available	Available

Lightweight Alloy Space Saver Spare Wheel and Tire or Matching Full Size Spare

Note: Jaguar Cars web dealer documentation does state which wheels are standard but neither the dealer brochure nor the web site is clear as to which wheels are optional.

XJ RWD	(F) 245/45R19, (R) 275/40R19	XJ AWD	(F) 245/45R19, (R) 275/40R19
XJL Portfolio RWD-	(F) 245/45R19, (R) 275/40R19	XJL Portfolio AWD	(F) 245/45R19, (R) 275/40R19
XJ Supercharged	(F) 245/40R20, (R) 275/35R20	XJL Supercharged -	(F) 245/45R19, (R) 275/40R19
XJR RWD	(F) 265/35R20, (R) 295/30R20	XJR LWB RWD	(F) 265/35R20, (R) 295/30R20

<b>2015 XJ</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>												
	19" Aleutian	19" Toba	19" Toba Polished	20" Kasuga	20" Kasuga Polished	20" Maroa	20" Mataiva	20" Orona	20" Orona Polished	20" Venom Grey Finish	20" Farallon Grey	20" Farallon Sparkle Silver
Short Wheel Base												
XJ	Standard	Optional	Optional	Optional	Optional			Optional	Optional			
XJ AWD	Standard	Optional	Optional	Optional	Optional			Optional	Optional			
XJ Supercharged	Optional	Optional	Optional	Standard	Optional		Optional	Optional	Optional	Optional with sport & Speed Pack	Optional	
XJR										Standard		
Long Wheel Base												
XJ Portfolio	Optional	Standard	Optional	Optional	Optional		N/A	Optional	Optional	N/A	N/A	
XJ Portfolio AWD	Optional	Standard	Optional	Optional	Optional		N/A	Optional	Optional	N/A	N/A	
XJ Supercharged	Optional	Optional		Standard	Optional	Optional	Optional	Optional	Optional	Optional with sport & Speed Pack		
XJR SWB & LWB						Optional					Standard	Optional



Lightweight Alloy Space Saver Spare Wheel and Tire or Matching Full Size Spare  
Front P245/45R19, Rear P275/40R19  
Front 245/40ZR20 Rear 275/35ZR20

**XK8-XKR** (See Apix B, Note #6, pg Apix B 37)

1997-99	XK8 & '97 Nieman Marcus	245/50ZR17	Pirelli	P Zero	Revolver Alloy 17x8 (Chrome Optional)
1997-99	XK8 Option	(Front) 245/45ZR18 (Rear) 255/45ZR18	Pirelli Pirelli	P Zero P Zero	7 Flute 18x8 7 Flute 18x9
2000-02	XK8	245/50ZR17	Pirelli	P Zero	Lamina 5-spoke Alloy 17x8
2002-02	XK8 Option	(Front) 245/45ZR18 (Rear) 255/45ZR18	Continental Continental	ContiSport Contact ContiSport Contact	Impeller Double 7-spoke Alloy 18x8 Impeller Double 7-spoke Alloy 18x9
2000-02	XKR	(Front) 245/45ZR18 (Rear) 255/45ZR18	Continental Continental	ContiSport Contact ContiSport Contact	Double 5 10-spoke Alloy 18x8 Double 5 10-spoke Alloy 18x9
2001	XKR Silverstone & 02-04 XKR Option	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli	P Zero P Zero	Detroit BBS 5-spoke Alloy 20x9 2-piece Detroit BBS 5-spoke Alloy 20x10 2-piece
2002	XKR 100 & 02-04 XKR Option	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli	P Zero P Zero	Montreal BBS 9-spoke Alloy 20x9 2-piece Montreal BBS 9-spoke Alloy 20x10 2-piece
2003	XK8	(Front) 245/45ZR18 (Rear) 255/45ZR18	Continental Continental	ContiSport Contact ContiSport Contact	Centaur 7-spoke Alloy 18x8 Centaur 7-spoke Alloy 18x9
2003	XK8 Option	(Front) 245/40ZR19 (Rear) 255/40ZR19	Pirelli Pirelli	P Zero P Zero	Apollo 5-spoke Alloy 19x8 Apollo 5-spoke Alloy 19x9
2003	XKR	(Front) 245/45ZR18 (Rear) 255/45ZR18	Continental Continental	ContiSport Contact ContiSport Contact	Hydra Double 7-spoke Alloy 18x8 Hydra Double 7-spoke Alloy 18x9
2002-04	XKR Option	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli	P Zero P Zero	Paris BBS 5-spoke Alloy 20x9 2-piece Paris BBS 5-spoke Alloy 20x10 2-piece
2004	XK8	(Front) 245/45ZR18	Continental	ContiSport Contact	Centaur 7-spoke Alloy 18x8
2004	XKR	245/45ZR18	Continental	P Zero	Hydra Alloy 18x8
2004	XKR Portfolio	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli	P Zero P Zero	Detroit BBS 5-spoke Alloy 20x9 2-piece Detroit BBS 5-spoke Alloy 20x10 2-piece
2004	XKR Premium	(Front) 245/50ZR19 (Rear) 245/50ZR19	Pirelli Pirelli	P Zero P Zero	Atlas Alloy 19x8 Atlas Alloy 19x8
2004	XKR Performance	(Front) 245/50ZR20 (Rear) 245/50ZR20	Pirelli Pirelli	P Zero P Zero	Detroit, Sepang Alloy 20x8 Lamina 5-spoke Alloy 20x9

2004	XKR Performance	(Front) 245/50ZR20 (Rear) 245/50ZR20	Pirelli Pirelli	P Zero P Zero	Montreal BBS 2-piece Alloy 8x20 Lamina 5-spoke Alloy 8x20
2004	XKR Portfolio	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli	P Zero P Zero Optional Wheels Optional Wheels Optional Wheels	BBS 2-piece Alloy 8x20 BBS 2-piece Alloy 8x20 Detroit R Performance 8x20 Paris R Performance 8x20 Montreal R Performance 8x20
2005	XK8	245/40ZR18	Continental		Aris 14-Twin Spoke 8x18
2005	XK8	245/50ZR17	Pirelli		Gemini (Canada Only) 8x17
2005	XKR	245/45ZR18	Pirelli		Hydra 8x18
2005	XK8 Carbon Fiber	(Front) 245/40ZR19 (Rear) 255/40ZR19	Pirelli Pirelli	P Zero P Zero	Atlas 10-spoke Alloy 8x19 Atlas 10-spoke Alloy 8x19
	Optional	(Front) 245/40ZR18 (Rear) 255/40ZR18	Pirelli Pirelli	P Zero P Zero	Aris 14-Twin Spoke 8x18 Aris 14-Twin Spoke 8x18
	Optional	(Front) 245/40ZR20 (Rear) 255/40ZR20	Pirelli Pirelli	P Zero P Zero	BBS Sepang 15- Spoke 8x20 BBS Sepang 15- Spoke 8x20
2005	XKR	(Front) 245/40ZR19 (Rear) 255/40ZR19	Pirelli Pirelli	P Zero P Zero	Hydra 14-Twin Spoke Alloy 8x19 Hydra 14-Twin Spoke Alloy 9x19
2005	XKR			Optional Wheel	BBS 8x20
2005	XKR Premium	(Front) 245/50ZR19 (Rear) 245/50ZR19	Pirelli Pirelli	P Zero P Zero	Aris Alloy 8x19 Aris Alloy 8x19
2005	XKR Premium	(Front) 245/40ZR19 (Rear) 245/40ZR19	Pirelli Pirelli	P Zero P Zero	Atlas Alloy 8x19 Atlas Alloy 8x19
2005	XKR Premium	(Front) 245/50ZR19 (Rear) 245/50ZR19	Pirelli Pirelli	P Zero P Zero	Hydra Alloy 8x19 Hydra Alloy 8x19
2005	XKR	(Front) 245/40ZR19 (Rear) 255/40ZR19	Continental Continental		Hydra 14-Twin Spoke Alloy 8x19 Hydra 14-Twin Spoke Alloy 9x19
2005	XKR (Optional)	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli		Montreal 9-Spoke Alloy 8x20 Montreal 9- Spoke Alloy 8x20
2005	XKR	(Front) 245/40ZR19 (Rear) 255/40ZR19	Pirelli Pirelli	P Zero P Zero	Atlas 10-Spoke Alloy 8x19 Atlas 10-Spoke Alloy 8x19
2005	XK8 (Optional)	(Front) 245/40ZR19 (Rear) 255/40ZR19	Pirelli Pirelli	P Zero P Zero	Atlas 10-Spoke Alloy 8x19 Atlas 10-Spoke Alloy 8x19






2005	XKR (Optional)	(Front) 255/35ZR20 (Rear) 255/35ZR20	Pirelli Pirelli	P Zero P Zero	Atlas 10-Spoke Alloy 8x20 Atlas 10-Spoke Alloy 8x20
2005	XKR (Optional)	235/50 R17		(Canada Only)	Gemini 10-Spoke Star 8x17
2006	XK8	245/45ZR18	Continental	(US Standard)	Aris 14-Twin Spoke 18x8
2006	XK8	245/45ZR18	Continental	(Canadian Optional)	Aris 14-Twin Spoke 18x8
2006	XKR	245/45ZR18	Continental		Hydra 14-Twin Spoke 18x8
2006	XK8 VE	(Front) 245/40ZR19 (Rear) 255/40ZR19	Pirelli Pirelli	(Canadian Std) (Canadian Std)	Atlas Alloy 19x8 Atlas Alloy 19x8
2006	XKR (Optional)	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli		Detroit 5-Spoke Alloy 20x8 Detroit 5-Spoke Alloy 20x8
2006	XKR (Optional)	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli		Montreal 9-Spoke Alloy 20x8 Montreal 9-Spoke Alloy 20x8
2006	XKR (Optional)	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli		Sepang 15-Thni Spoke Alloy 20x8 Sepang 15- Thin Spoke Alloy 20x8
2006	XK8	235/50ZR17		All Season	Gemini (Canada Only) 17x8
2006	XK8 Ltd Ed	(Front) 245/40ZR19 (Rear) 255/40ZR19	Pirelli Pirelli	P Zero P Zero	Atlas 10-Spoke Alloy 19x8 Atlas 10-Spoke Alloy 19x8
2006	XKR Ltd Ed (Optl)	(Front) 245/40ZR19 (Rear) 255/40ZR19	Pirelli Pirelli	P Zero P Zero	Atlas 10-Spoke Alloy 19x8 Atlas 10-Spoke Alloy 19x8
2006	XKR Ltd Ed	(Front) 255/35ZR20 (Rear) 285/30ZR20	Pirelli Pirelli		Perseus 16-Spoke Alloy 20x8 Perseus 16-Spoke Alloy 20x8
2007	XK8	(Front) 245/45ZR18 (Rear) 275/40ZR18			Venus 7-Spoke 18x8 Venus 7-Spoke 18x8
2007	XK8	(Front) 245/40ZR19 (Rear) 275/35ZR19			Carelia 10-Spoke 19x8 Carelia 10-Spoke 19x8
2007	XK8	(Front) 255/35ZR20 (Rear) 285/30ZR20		Sparkle Silver Finish Sparkle Silver Finish	Sabre 5-Spoke 20x8 Sabre 5-Spoke 20x8
2007	XK8/XKR	(Front) 255/35ZR20 (Rear) 285/30ZR20			Senta 5x2-Spoke 20x8 Senta 5x2-Spoke 20x8
2007	XKR	(Front) 245/40ZR19 (Rear) 275/35ZR19			Jupiter 5x2-Spoke 19x8 Jupiter 5x2-Spoke 19x8
2007	XKR (Rear)	(Front) 255/35ZR20 285/30ZR20			Cremona 5-Spoke 20x8 Cremona 5-Spoke 20x8

<b>2008 XK</b> (See Apx B, Note #6, pg Apx B 37)							
	18" Venus	19" Carelia	19" Jupiter	19" Chrome Sabre	20" Senta	20" Cremona	20" Vortex
XK 4.2L	Optional	Standard	Optional		Optional	Optional	Optional
XKR 4.2L S	Optional	Standard	Optional		Optional	Optional	Optional
	(F) 245/45 ZR18 (R) 275/40 ZR18	(F) 245/40 XR19 (R) 275/35 XR19	(F) 245/40 XR19 (R) 275/35 XR19	(F) 245/40 ZR19 (R) 275/35 ZR19 Optional Run Flat	(F) 255/35 ZR20 (R) 285/30 ZR20	(F) 255/35 ZR20 (R) 285/30 ZR20	(F) 255/35 ZR20 (R) 295/30 ZR20 Pirelli P Zero
XKR-S					(F) 255/35 ZR20 (R) 295/30 ZR20 Pirelli P Zero		(F) 255/35 ZR20 (R) 295/30 ZR20 Pirelli P Zero

Lightweight Alloy Space Saver Spare Wheel and Tire-Standard on all models

	XK 4.2L V8 COUPE/ CONVERTIBLE	XKR 4.2L V8 S/C COUPE/ CONVERTIBLE
<b>WHEELS</b>		
Wheel type	18" Venus 19" Carelia 19" Chrome Sabre 20" Senta	19" Jupiter 20" Cremona 20" Senta
<b>TIRE SIZE</b>		
18-inch front	245/45 ZR18	
18-inch rear	275/40 ZR18	
19-inch front	245/40 XR19	245/40 XR19
19-inch rear	275/35 XR19	275/35 XR19
20-inch front	255/35 ZR20	255/35 ZR20
20-inch rear	285/30 ZR20	285/30 ZR20

OPTIONAL WHEELS AND TIRES
Carelia cast alloy wheels: 8.5" x 19" (front), 9.5" x 19" (rear) Tires: 245/40 ZR19 (front), 275/35 ZR19 (rear)
Sabre cast alloy chromed wheels: 8.5" x 19" (front), 9.5" x 19" (rear) Runflat tires: 245/40 ZR19 (front), 275/35 ZR19 (rear) <sup>2</sup>
Sabre cast alloy chromed wheels: 8.5" x 19" (front), 9.5" x 19" (rear) Tires: 245/40 ZR19 (front), 275/35 ZR19 (rear) <sup>2</sup>
Senta cast alloy wheels: 9" x 20" (front), 9.5" x 20" (rear) <sup>2</sup> Tires: 255/35 ZR20 (front), 285/30 ZR20 (rear)

<b>2009 XK</b> (See Apx B, Note #6, pg Apx B 37)					
	19" Carelia	19" Chrome Sabre	19" Jupiter	20" Senta	20" Takoba Coupe Only
XK 4.2L	Standard	Optional	Standard	Optional	N/A
XKR 4.2L	N/A	Optional	N/A	Optional	Optional
	(F) 245/40 XR19 (R) 275/35 XR19	(F) 245/40 XR19 (R) 275/35 XR19 Optional-Run Flat	(F) 245/40 XR19 (R) 275/35 XR19	(F) 255/35 ZR20 (R) 285/30 ZR20	(F) 255/35 ZR20 (R) 285/30 ZR20

Lightweight Alloy Space Saver Spare Wheel

<b>2010 XK</b> (See Apx B, Note #6, pg Apx B 37)									
	18" Venus	19" Artura	19" Artura Chrome	19" Artura Chrome (with Run Flat)	19" Caravela	19" Carelia	19" Tamana	20" Nevis	20" Kalimnos
XK	Optional	Optional	Optional	Optional	Standard	Optional	Optional	N/A	Optional
XKR	N/A	Optional	Optional	Optional	N/A	Optional	Standard	Optional	Optional

Lightweight Alloy Space Saver Spare Wheel and Tire

(F) 245/40 ZR19, (R) 275/35 ZR19, Dunlop SP Sport  
(F) 255/35 ZR19, (R) 285/30 ZR19, Dunlop SP Sport

(F) 245/40XR19, (R) 275/35XR19  
(F) 275/35XR19, (R) 285/30 ZR19

(F) 245/40 ZR19, (R) 275/35 XR19, Pirelli P Zero  
(F) 275/35 ZR19, (R) 285/30 XR19, Pirelli P Zero

(F) 245/40XR20, (R) 275/35XR20, Pirelli P Zero  
(F) 255/35ZR20, (R) 285/30ZR20, Pirelli P Zero



<b>2011 XK</b> <b>(See Apx B, Note #6, pg Apx B 37)</b>	 <small>19" Artura Chrome Available on XJ, XJ Premium, XJ Portfolio Pack and all XK.</small>	 <small>19" Tamana Available on XKR.</small>	 <small>20" Gloss Black Kalimnos Available on XKR Black Pack.</small>	 <small>20" Kalimnos Available on all XK.</small>	 <small>20" Kasuga Available on all XJ and XKR175.</small>	 <small>20" Nevis Available on XKR and XKR.</small>	 <small>20" Selena Available on XJ Supercharged and XK.</small>	 <small>20" Takoba Available on all XK.</small>	 <small>20" VULCAN GLOSS BLACK FINISH Offered on XKR and XKR with Dynamic and Black Pack.</small>
	19" Artura Chrome	19" Tamana	20" Gloss Black Kalimnos	20" Kalimnos	20" Kasuga	20" Nevis	20" Selena	20" Takoba	20" Vulcan Dark Finish
XK	Available	N/A	N/A	Available	N/A	N/A	Available	N/A	N/A
XKR	Available	Available	Available with Black Pack	Available	N/A	Available	N/A	Available	N/A
XKR-S	Available	N/A	N/A	Available	N/A	N/A	N/A	Available	Standard
XKR 175	N/A	N/A	N/A	N/A	Standard	N/A	N/A	N/A	N/A


Lightweight Alloy Space Saver Spare Wheel and Tire

(F) 245/40XR19, (R) 275/35XR19  
(F) 275/35XR19, (R) 285/30 XR19

(F) 245/40 ZR19, (R) 275/35 ZR19, Dunlop SP Sport  
(F) 255/35 ZR19, (R) 285/30 ZR19, Dunlop SP Sport

(F) 245/40 ZR19, (R) 275/35 ZR19, Pirelli P Zero  
(F) 275/35 ZR19, (R) 285/30 ZR19, Pirelli P Zero

(F) 245/40ZR20, (R) 275/35ZR20, Pirelli P Zero  
(F) 255/35ZR20, (R) 285/30ZR20, Pirelli P Zero






<b>2012 XK</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>							
	19" Artura Chrome	19" Caravela	19" Tamana	20" Kalimnos	20" Kalimnos - Black Finish (XKR Black Pack)	20" Nevis	20" Orona <sup>□</sup>
	19" Artura Chrome	19" Caravela	19" Tamana	20" Kalimnos	20" Kalimnos Black	20" Nevis	20" Orona
XK	Optional	Standard	N/A	Optional	N/A	N/A	Optional
XKR	Optional	N/A	Standard	Optional	Optional with Black Pack	Optional	Optional
XKR-S	N/A	N/A	N/A	N/A	N/A	N/A	N/A

<b>2012 XK</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>						
	20" Selena	20" Takoba	20" Vulcan - Black Finish (XKR Dynamic & Black Pack) <sup>□</sup>	20" Vulcan - Dark Matte Gray Finish	20" Vulcan - Gloss Black Finish	20" Vulcan - Polished Finish (XKR Dynamic Pack) <sup>□</sup>
	20" Selena	20" Takoba	20" Vulcan Black	20" Vulcan Dark Matte	20" Vulcan Gloss Black	20" Vulcan Polished
XK	Optional	Optional		N/A	N/A	N/A
XKR	N/A	Optional	Optional with Black Pack	N/A	N/A	Optional Dynamic Pack
XKR-S	N/A	N/A	N/A	Standard	Optional	Optional with Bright Pack

Lightweight Alloy Space Saver Spare Wheel and Tire

WHEEL SPECIFICATIONS	FRONT	TYRES	REAR	TYRES
Caravela alloy wheels	8.5J x 19"	245/40 R19	9.5J x 19"	275/35 R19
Artura alloy wheels	8.5J x 19"	245/40 R19	9.5J x 19"	275/35 R19
Tamana alloy wheels	8.5J x 19"	245/40 R19	9.5J x 19"	275/35 R19
Kalimnos alloy wheels	8.5J x 20"	255/35 R20	9.5J x 20"	285/30 R20
Nevis alloy wheels	8.5J x 20"	255/35 R20	9.5J x 20"	285/30 R20
Selena alloy wheels	8.5J x 20"	255/35 R20	9.5J x 20"	285/30 R20
Takoba alloy wheels	8.5J x 20"	255/35 R20	9.5J x 20"	285/30 R20
Vulcan alloy wheels	9.0J x 20"	255/35 R20	10.5J x 20"	295/30 R20

<b>2013 XK</b> (See Apx B, Note #6, pg Apx B 37)	 20" KALIMNOS GLOSS BLACK FINISH (Optional on XK with Black Pack)	 20" KALIMNOS (Optional on XK, XKR)	 20" NEVIS (Optional on XKR)	 20" ORONA (Standard on XK)	 20" ORONA POLISHED FINISH (Optional on XK and XKR with Portfolio Pack)
	20" Kalimnos Gloss Black	20" Kalimnos	20" Nevis	20" Orona	20" Orona Polished
XK		Optional	N/A	Standard	Optional with Portfolio Pack
XKR	Optional with Black Pack	Optional	Optional	N/A	Optional with Portfolio Pack







<b>2013 XK</b> (See Apx B, Note #6, pg Apx B 37)	 20" TAKOBA (Standard on XKR)	 19" TAMANA (Standard on XK Touring)	 20" VULCAN GLOSS BLACK FINISH (Optional on XKR-S and XKR with Dynamic and Black Pack)	 20" VULCAN DARK TECHNICAL FINISH (Standard on XKR-S)	 20" VULCAN POLISHED FINISH (Optional on XKR-S with Bright Pack and XKR with Dynamic Pack)
	20" Takoba	19" Tamana	20" Vulcan Gloss Black	20" Vulcan Dark Tech	20" Vulcan Polished
XK	Standard	Standard	N/A	N/A	N/A
XKR	N/A	N/A	Optional with Dynamic and Black Pack	N/A	Optional with Dynamic Pack
XKR-S	N/A	N/A	Optional with Dynamic and Black Pack	Standard	Optional with Bright Pack

Lightweight Alloy Space Saver Spare Wheel and Tire

(F) 245/40 ZR19, (R) 275/35 ZR19, Dunlop SP Sport  
 (F) 255/35 ZR19, (R) 285/30 ZR19, Dunlop SP Sport  
 (F) 245/40 XR19, (R) 275/35XR19, Dunlop SP Sport  
 (F) 275/35 ZR19, (R) 285/30 ZR19, Dunlop SP Sport

(F) 245/40 ZR19, (R) 275/35 ZR19, Pirelli P Zero  
 (F) 275/35 ZR19, (R) 285/30 ZR19, Pirelli P Zero  
 (F) 245/40 XR20, (R) 275/35 XR20, Pirelli P Zero  
 (F) 255/35 ZR20, (R) 285/30 ZR20, Pirelli P Zero

<b>2014 XK</b> (See <u>Apx B, Note #6, pg Apx B 37</u> )						
	19" Tamana <small>(Standard on XK Touring)</small>	20" Kalimnos <small>(Optional on XK, XKR)</small>	20" Nevis <small>(Optional on XKR)</small>	20" Orona <small>(Standard on XK)</small>	20" Orona Polished Finish <small>(Optional on XK and XKR with Portfolio Pack)</small>	20" Takoba Gloss Black Finish <small>(Optional on XKR with Black Pack)</small>
XK	Standard	Optional	N/A	Optional with Portfolio Pack	Standard	Optional with Black Pack
XKR	N/A	Optional	Optional	Optional with Portfolio Pack	N/A	N/A

<b>2014 XK</b> (See <u>Apx B, Note #6, pg Apx B 37</u> )						
	20" Takoba <small>(Standard on XKR)</small>	20" Venom <small>(Optional on XK)</small>	20" Vortex <small>(Optional on XKR with Dynamic Pack and optional on XKR-S)</small>	20" Vulcan Dark Tech <small>(Standard on XKR-S)</small>	20" Vulcan Gloss Black Finish <small>(Optional on XKR-S)</small>	20" Vulcan Polished Finish <small>(Optional on XKR-S with Bright Pack)</small>
XK	N/A	Optional	N/A	N/A	N/A	N/A
XKR	Standard	N/A	Optional with Dynamic Pack	N/A	N/A	N/A
XKR-S	N/A	N/A	N/A	Standard	Optional	Optional with Bright Pack

Lightweight Alloy Space Saver Spare Wheel and Tire

(F) 245/40 ZR19, (R) 275/35 ZR19

(F) 255/35 ZR19, (R) 285/30 ZR19

(F) 245/40XR19, (R) 275/35XR19









(F) 275/35ZR19, (R) 285/30 ZR19








(F) 245/40 ZR19, (R) 275/35 ZR19, Pirelli P Zero

(F) 275/35 ZR19, (R) 285/30 ZR19, Pirelli P Zero

(F) 245/40XR20, (R) 275/35XR20 Pirelli P Zero

(F) 255/35ZR20, (R) 285/30ZR20 Pirelli P Zero

<b>2015 XK</b> (See <b>Apx B, Note #6,</b> <b>pg Apx B 37)</b>								
	18" Venus	19" Caravela	19" Tamana	20" Kalimnos	20" Kalimnos Gloss Black	20" Nevis	20" Orona	20" Orona Polished
XK	Standard	Optional	N/A	Optional	Optional	N/A	Optional	Optional
XK Portfolio		Standard	Optional	Optional	N/A	N/A	Optional	N/A
XKR		N/A	Standard	Optional	N/A	Optional	Optional	N/A
XKR-S Coupe		N/A	N/A	N/A	N/A	N/A	N/A	N/A

<b>2015 XK</b> (cont) (See <b>Apx B, Note #6,</b> <b>pg Apx B 37)</b>							
	20" Takoba	20" Takoba Gloss Black	20" Venom	20" Vortex	20" Vulcan Dark Tech	20" Vulcan Gloss Black	20" Vulcan Polished
XK	N/A	N/A	Optional	N/A	N/A	N/A	N/A
XK Portfolio	N/A	N/A	Optional	N/A	N/A	N/A	N/A
XKR	Optional	Optional W/ Black Pack	N/A	Optional w/ Dynamic Pack	N/A	N/A	N/A
XKR-S Coupe	N/A	N/A	N/A	Optional w/ Dynamic Pack	Standard	Optional	Pack Optional

Lightweight Alloy Space Saver Spare Wheel and Tire

(F) 245/45 R18, (R) 275/40 R19  
(F) 245/40 ZR19, (R) 275/35 ZR19, Dunlop SP Sport  
(F) 255/35 ZR19, (R) 285/30 ZR19, Dunlop SP Sport






(F) 245/40 ZR19, (R) 275/35 ZR19, Pirelli P Zero  
(F) 275/35 ZR19, (R) 285/30 ZR19, Pirelli P Zero

(F) 245/40XR20, (R) 275/35XR20, Pirelli P Zero  
(F) 255/35ZR20, (R) 285/30ZR20, Pirelli P Zero  
(F) 255/35ZR20, (R) 295/30ZR20, Pirelli P Zero

<b>2009 XF</b> (See <b>Apx B, Note #6, pg Apx B 37</b> )				
	18" Cygnus	19" Auriga	20" Selena	20" Volans
XF 4.2V8 Lux	Standard	Optional	Optional	N/A
XF 4.2 Premium Lux	N/A	Standard	Optional	N/A
XF 4.2 S/C V8	N/A	N/A	N/A	Standard
Lightweight Alloy Space Saver Spare Wheel and Tire				

WHEELS	4.2 V8	4.2 S/C V8
Size and style	18" x 8.5" Cygnus alloy 19" x 8.5" Auriga alloy 20" x 8.5" Selena alloy	20" x 8.5" (front) 20" x 9.5" (rear) Volans alloy
Spare	Alloy Space saver	Alloy Space saver
Tires	All Season: 245/45R18 96H 245/40R19 94H Sport: 235/35R20 97Y X/L	Sport: Front - 255/35R20 97Y X/L Rear - 285/30R20 99Y X/L









WHEELS AND TIRES	LUXURY 4.2 V8	PREMIUM 4.2 V8	LUXURY 4.2 S/C V8
18" Cygnus alloy wheels with 245/45 HR18 all season tires	■		
19" Auriga alloy wheels with 245/40 HR19 all season tires	□	■	
20" Selena alloy wheels with 235/35 ZR20 performance tires	□	□	
20" Volans alloy wheels with 255/35 ZR20 (front) and 285/30 ZR20 (rear) performance tires			■
Lightweight alloy space saver spare wheel and tire	■	■	■

<b>2010 XF</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>	Standard	Options			
	 18" Cygnus	 19" Artura	 19" Artura Chrome	 19" Carelia	 20" Nevis
	18" Cygnus	19" Artura	19" Artura Chrome	19" Carelia	20" Nevis
XF 3.0L V6, 4.2L V8	Standard	Optional	Optional	Optional	N/A
XF Premium 5.0L V8	N/A	Standard	Optional	N/A	N/A
XF Premium With Portfolio Package 5.0L V8	N/A	Optional	Optional	N/A	Standard
XFR 5.0L V8 Supercharged	N/A	N/A	N/A	N/A	Standard

Lightweight Alloy Space Saver Spare Wheel and Tire-Standard on all models











Front and Rear 245/45 HR18  
(F) 245/40 ZR20, (R) 285/30 ZR20

Front and Rear 245/40 R19  
(F) 255/35 ZR20, (R) 285/30 ZR20











<b>2011 XF</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>	 18" Cygnus <small>Available on XF</small>	 19" Artura <small>Available on XF</small>	 19" Artura Chrome <small>Available on XF, XF Premium, XF Portfolio Pack and XF X</small>	 19" Caravela <small>Available on XF Premium, XF Portfolio Pack and XF X</small>	 20" Dark Grey Draco <small>Available on XF Premium, XF Portfolio Pack, XF Supercharged and XF Black Pack</small>	 20" Nevis <small>Available on XF and XF X</small>	 20" Selena <small>Available on XF Supercharged and XF X</small>	 20" Senta <small>Available on XF Portfolio Pack</small>
	18" Cygnus	19" Artura	19" Artura Chrome	19" Caravela	20" Dark Grey Draco	20" Nevis	20" Selena	20" Senta
XF	Available	Available	Available			N/A	N/A	N/A
XF Premium	N/A	N/A	Available	Available	Available	N/A	N/A	N/A
XF Portfolio	N/A	N/A	Available	Available	Available	N/A	N/A	Available
XF Supercharged	N/A	N/A	N/A	N/A	Available	N/A	Available	N/A
XFR	N/A	N/A	N/A	N/A	N/A	Available	N/A	N/A
XFR (Black Pack)	N/A	N/A	N/A	N/A	Available	N/A	N/A	N/A

Lightweight Alloy Space Saver Spare Wheel and Tire-Standard on all models

(F) 245/45 HR18, (R) 245/45 HR18  
(F) 245/40 HR19, (R) 245/40HR19  
(F) 245/40 ZR19, (R) 245/40 ZR19  
(F) 235/35 ZR20, (R) 235/35 ZR20  
(F) 255/35 ZR20, (R) 285/30 ZR20














<b>2012 XF</b> (See <b>Apx B, Note #6,</b> <b>pg Apx B 37</b> )										
	18" Lyra	18" Vela	19" Aquila	19" Artura	19" Artura Chrome	19" Caravela	20" Draco Dark Gray (Diamond turned rim)	20" Draco Silver	20" Hydra	20" Nevis
XF	Available	Available	Optional	Optional	Optional	Standard	Optional	N/A	Optional	N/A
XF Portfolio	N/A	N/A	Standard	N/A	N/A	N/A	Optional	Standard	N/A	N/A
XF Supercharged	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Standard
XFR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XFR (Black Pack)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Lightweight Alloy Space Saver Spare Wheel and Tire  
(F&R) 245/40R18  
(F&R) 245/40ZR18  
(F&R) 245/40ZR19 Continental ContiPro Contact  
(F) 255/35ZR20 (R) 285/30ZR20 Dunlop SportMaxx

<b>2013 XF</b> (See <b>Apx B, Note #6, pg Apx B 37</b> )										
	18" Vela	18" Lyra	19" Aquilla	19" Artura	19" Artura Chrome	19" Caravela	20" Draco Dark Gray WITH DIAMOND TURNED RIMS (OR XF Supercharged)	20" Draco Silver Finish (OR XF Supercharged)	20" Hydra	20" Nevis
XF	Available	Available	Available	Available	Available	Available	Available	Available	Available	N/A
XF Supercharged	N/A	N/A	N/A	N/A	N/A	N/A	Available	Available	N/A	N/A
XFR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Available














Lightweight Alloy Space Saver Spare Wheel and Tire  
Front 245/45R18, Rear 245/45R18  
Front 245/45ZR19, Rear 275/40ZR19  
Front 245/45ZR19, Rear 275/40ZR19 Run Flat  
Front 255/35ZR20, Rear 285/30ZR20













<b>2014 XF</b> <b>(See Apx B, Note #6,</b> <b>pg Apx B 37)</b>													
	18" Cygnus	18" Lyra	18" Venus	18" Vela	19" Aquilla	19" Artura Chrome	19" Artura	19" Caravela	20" Draco Gray	20" Draco Silver	20" Hydra	20" Nevis	20" Varuna
XF 2.0T	Available	Available	Available	Standard									
XF V6 SC RWD	Available	Available	Available	Available			Standard						
XF V6 SC AWD	Available	Available	Available	Available			Standard						
XF Supercharged										Standard			
XFR													
XF R-S													

	Front	Rear	Manufacturer	Model
XF 2.0T	245/45R18	245/45R18	Continental	All Season Conti Pro Contact
XF V6 SC RWD	245/40R19	245/40R19	Continental	All Season Conti Pro Contact
XF V6 SC AWD	245/40R19	245/40R19	Continental	All Season Conti Pro Contact
XF Supercharged	255/35ZR20	285/30ZR20	Dunlop	Summer Dunlop
XFR	255/35ZR20	285/30ZR20	Dunlop	Summer Dunlop
XF R-S	265/35ZR20	295/30ZR20	Pirelli	Summer Pirelli

Lightweight Alloy Space Saver Spare Wheel and Tire

<b>2015 XF</b> <b>(See Apx B, Note #6,</b> <b>pg Apx B 37)</b>													
	17: Libra	17'' Ursa	17'' Ursa in Gloss Anthracite	18'' Cygnus	18'' Lyra	18'' Manra	18in Vela	18'' Venus	19 in Aquila	19'' Artura	19in Caravela	19'' Carelia	20in Draco Dark Grey
XF 2.0T Premium	Standard	Optional	N/A	N/A	N/A	N/A	Optional	N/A	Optional	Optional	N/A	N/A	Optional
XF Premium	N/A	N/A	N/A	N/A	Optional	N/A	Optional	N/A	Optional	Optional	Optional	N/A	Optional
XF 3.0 Portfolio	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Optional	Optional	Standard	N/A	Optional
XF 3.0 AWD Portfolio	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Standard	N/A	N/A	N/A	N/A
XF 3.0 AWD Sport	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Standard
XF Luxury	N/A	Standard	N/A	N/A	Optional	N/A	Optional	N/A	Optional	Optional	Optional	N/A	Optional
XF R Sport	N/A	Standard	Optional	N/A	Optional	Optional	Optional	N/A	Optional	Optional	Optional	N/A	Optional
XFR	N/A	Standard	Optional	N/A	Optional	Optional	Optional	N/A	Optional	Optional	Optional	N/A	Optional
XFR-S	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XF 5.0 Supercharged	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XF Sportbrake	Standard	Optional	N/A	N/A	N/A	N/A	Optional	N/A	Optional	Optional	Optional	N/A	Optional











<b>2015 XF Cont.</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>											
	20in Draco Silver	20in Hydra	20" Kalimnos Gloss Black	20in Nevis	20" Selena	20" Senta	20in Varuna Ceramic Polished	20in Varuna Dark Grey	20" Varuna Gloss Black	20" Volants	20" Volants Shadow Chrome
XF 2.0T Premium	Optional	Optional	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XF Premium	Optional	Optional	Optional	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XF 3.0 Portfolio	Optional	Optional	Optional	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XF 3.0 AWD Portfolio	N/A	Optional	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XF 3.0 AWD Sport	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XF Luxury	Optional	Optional	Optional	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XF R Sport	N/A	Optional	Optional	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XFR	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XFR-S	N/A	Optional	Optional	N/A	N/A	N/A	Standard	Optional	N/A	N/A	N/A
XF 5.0 Supercharged	Standard	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Optional	N/A	N/A
XF Sportbrake	Optional	Optional	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Optional	Optional

(F) 255/44R17, (R) 255/45R17

(F) 245/45R18, (R) 245/45R18

(F) 245/40-ZR19, (R) 245/40-ZR19 Continental ContiPro Contact

(F) 255/35-ZR20, (R) 285/30-ZR20 Pirelli P Zero

<b>2013 F-Type</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>										
	18" Vela	19" Centrifuge Gloss Black	19" Centrifuge Silver	19" Propeller	20" Cyclone Gloss Black	20" Cyclone Silver	20" Blade Forged Grey	20" Tornado Gloss Black	20" Tornado Silver	20" Turbine
F-Type	Standard	Optional	Optional	N/A	N/A	N/A	Optional	Optional	Optional	Optional
F-Type S	N/A	Optional	Optional	Standard	N/A	N/A	Optional	Optional	Optional	Optional
F-Type V8 S	N/A	N/A		N/A	Optional	Standard	Optional	Optional	Optional	Optional

No Spare Wheel and Tire available, "Fix-A-Flat" Supplied

(F) 245/40R18, (R) 275/40R18 Pirelli P Zero

(F) 245/40ZR19, (R) 275/35ZR19 Pirelli P Zero

(F) 255/35ZR20, (R) 295/30ZR20 Pirelli P Zero

<b>2014 F-Type</b> <b>(See <u>Apx B, Note #6, pg</u></b> <b><u>Apx B 37</u>)</b>	 <small>18" VELA Standard on F-TYPE</small>	 <small>19" CENTRIFUGE GLOSS BLACK Optional on F-TYPE and F-TYPE S</small>	 <small>19" CENTRIFUGE SILVER Optional on F-TYPE and F-TYPE S</small>	 <small>19" PROPPELLER Standard on F-TYPE S</small>	 <small>20" BLADE FORGED GREY Optional on F-TYPE, F-TYPE S and F-TYPE V8 S</small>	 <small>20" CYCLONE GLOSS BLACK Optional on F-TYPE S</small>	 <small>20" CYCLONE SILVER Standard on F-TYPE V8 S</small>	 <small>20" TORNADO SILVER Optional on F-TYPE, F-TYPE S and F-TYPE V8 S</small>	 <small>20" TORNADO GLOSS BLACK Optional on F-TYPE, F-TYPE S and F-TYPE V8 S</small>	 <small>20" TURBINE Optional on F-TYPE, F-TYPE S and F-TYPE V8 S</small>
	18" Vela	19" Centrifuge Gloss Black	19" Centrifuge Silver	19" Propeller	20" Blade Forged Grey	20" Cyclone Gloss Black	20" Cyclone Silver	20" Tornado Silver	20" Tornado Gloss Black	20" Turbine
F-Type	Standard	Optional	Optional		Optional		Optional	Optional	Optional	Optional
F-Type S		Optional	Optional	Standard	Optional		Optional	Optional	Optional	Optional
F-Type V8 S			Standard		Optional	Optional	Optional	Optional	Optional	Optional

No Spare Wheel and Tire available, "Fix-A-Flat" Supplied

(F) 245/40R18, (R) 275/40R18 Pirelli P Zero

(F) 245/40ZR19, (R) 275/35ZR19 Pirelli P Zero

(F) 255/35ZR20, (R) 295/30ZR20 Pirelli P Zero










<b>2015 F-Type</b> <u>(See Apx B, Note #6, pg Apx B 37)</u>									
	18" Vela Silver	18" Venus	19" Centrifuge Silver	19" Centrifuge Gloss Black	19" Orbit Silver	19" Orbit Black and Diamond Turned	19" Propeller	19" Tamana	20" Cyclone Silver
F-Type	Standard	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
F-Type S	Optional	N/A	Optional	Optional	Optional	Optional	Standard	Optional	Optional
F-Type V8 S	Optional	N/A	N/A	N/A	N/A	N/A	Optional	Optional	Standard
F-Type R	Optional	N/A	N/A	N/A	N/A	N/A	Optional	Optional	Optional

<b>2015 F-Type</b> <b>(Continued)</b>									
	20" Cyclone Gloss Black	20" Gyrodyne Black and Diamond Turned	20" Gyrodyne Silver	20" Blade Forged Alloy Tech Grey/Carbon Fiber	20" Rotor Forged Alloy	20" Storm Forged Alloy Black and Diamond Turned	20" Tornado Gloss Black	20" Tornado Silver	20" Turbine Silver
F-Type	Optional	N/A	Optional	Optional	Optional	N/A	Optional	Optional	Optional
F-Type S	Optional	N/A	Optional	Optional	Optional	Optional	Optional	Optional	Optional
F-Type V8 S	Optional	N/A	Optional	Optional	Optional	Optional	Optional	Optional	Optional
F-Type R	Optional	Optional	Standard	Optional	Optional	Optional	Optional	Optional	Optional

Lightweight Alloy Space Saver Spare Wheel and Tire

(F) 245/40R18, (R) 275/40R18 Pirelli P Zero  
(F) 245/40R19, (R) 275/35R19 Pirelli P Zero  
(F) 245/40ZR19, (R) 275/35ZR19 Pirelli P Zero  
(F) 255/35ZR20, (R) 295/30ZR20 Pirelli P Zero

<b>2016 F-Type</b> <i>(See Apx B, Note #6, pg Apx B 37)</i>	 <small>18\" VELA SILVER</small>	 <small>19\" CENTRIFUGE SILVER</small>	 <small>19\" CENTRIFUGE GLOSS BLACK</small>	 <small>19\" ORBIT SILVER</small>	 <small>19\" ORBIT BLACK AND DIAMOND TURNED</small>	 <small>19\" PROPELLER Standard on F-TYPE S</small>	 <small>19\" VOLUTION</small>	 <small>19\" VOLUTION</small>	 <small>20\" BLADE FORGED ALLOY TECHNICAL GREY/CARBON FIBER</small>
	18\" Vela Silver	19\" Centrifuge Silver	19\" Centrifuge Gloss Black	19\" Orbit Silver	19\" Orbit Black and Diamond Turned	19\" Propeller	19\" Volution Silver	19\" Volution Tech Grey/Diamond Turned	20\" Blade Forged Alloy Tech Grey/Carbon Fiber
F-Type	Standard	Optional	Optional	Optional	Optional	Optional	N/A	N/A	Optional
F-Type S	N/A	Optional	Optional	Optional	Optional	Standard	N/A	N/A	Optional
F-Type S AWD	N/A	Optional	Optional	Optional	Optional	Optional	Standard	N/A	Optional
F-Type R	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Optional
F-Type R AWD	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Optional

<b>2016 F-Type</b> <i>(Continued)</i>	 <small>20\" CYCLONE SILVER</small>	 <small>20\" CYCLONE GLOSS BLACK</small>	 <small>20\" GYRODYNE</small>	 <small>20\" GYRODYNE BLACK AND DIAMOND TURNED</small>	 <small>20\" ROTOR FORGED ALLOY</small>	 <small>20\" STORM</small>	 <small>20\" TORNADO GLOSS BLACK</small>	 <small>20\" TORNADO SILVER</small>	 <small>20\" TURBINE SILVER</small>
	20\" Cyclone Silver	20\" Cyclone Gloss Black	20\" Gyrodyne Silver	20\" Gyrodyne Black and Diamond Turned	20\" Rotor Forged Alloy	20\" Storm Satin Antracite Grey	20\" Tornado Gloss Black	20\" Tornado Silver	20\" Turbine Silver
F-Type	Optional	Optional	N/A	N/A	Optional		Optional	Optional	Optional
F-Type S	Optional	Optional	N/A	N/A	Optional	N/A	Optional	Optional	Optional
F-Type S AWD	Optional	Optional	N/A	N/A	Optional	N/A	Optional	Optional	Optional
F-Type R	N/A	N/A	Standard	Optional	Optional	Optional	Optional	Optional	Optional
F-Type R AWD	N/A	N/A	Standard	Optional	Optional	Optional	Optional	Optional	Optional

Lightweight Alloy Space Saver Spare Wheel and Tire

- (F) 245/40R18, (R) 275/40R18 Pirelli P Zero
- (F) 245/40R19, (R) 275/35R19 Pirelli P Zero
- (F) 245/40ZR19, (R) 275/35ZR19 Pirelli P Zero
- (F) 255/35ZR20, (R) 295/30ZR20 Pirelli P Zero

<b>2016 F-Pace</b> <b>Note: Tire Size listed as part of brochure documentation</b> <b>(See Apx B, Note #6, pg Apx B 37)</b>								
	18" LIGHTWEIGHT 15 SPOKE Silver 7.5J x 18" 255/60 R18	19" BIONIC 5 TWIN-SPOKE Grey and Diamond Turned 8.5J x 19" 255/55 R19	19" FAN 5 SPOKE Gloss Black 8.5J x 19" 255/55 R19	19" FAN 5 SPOKE Silver 8.5J x 19" 255/55 R19	19" RAZOR 7 TWIN-SPOKE Silver 8.5J x 19" 255/55 R19	20" BLADE 5 SPOKE Gloss Black 8.5J x 20" 255/50 R20	20" BLADE 5 SPOKE Grey and Diamond Turned 8.5J x 20" 255/50 R20	20" MATRIX 10 TWIN-SPOKE Silver 8.5J x 20" 255/50 R20
	F-Pace	Standard	N/A	N/A	N/A	N/A	N/A	N/A
	F-Pace Premium	N/A	Optional	Optional	Standard	N/A	N/A	Optional
	F- Pace Prestige	N/A	N/A	N/A	N/A	Standard	N/A	N/A
F- Pace R Sport	N/A	N/A	N/A	N/A	N/A	Optional	Optional	
F- Pace S	N/A	N/A	N/A	N/A	N/A	Optional	Standard	

<b>2016 F-Pace</b> <b>Continued</b> <b>Note: Tire Size listed as part of brochure documentation</b> <b>(See Apx B, Note #6, pg Apx B 37)</b>							
	20" TEMPLAR 5 TWIN-SPOKE Silver 8.5J x 20" 255/50 R20	20" VENOM 5 TWIN-SPOKE Gloss Black 8.5J x 20" 255/50 R20	20" VENOM 5 TWIN-SPOKE Grey and Diamond Turned 8.5J x 20" 255/50 R20	22" DOUBLE HELIX 15 SPOKE Black finish and contrast finish inserts 9.0J x 22" 265/40 R22	22" DOUBLE HELIX 15 SPOKE Silver finish and contrast inserts 9.0J x 22" 265/40 R22	22" TURBINE 9 SPOKE Chrome 9.0J x 22" 265/40 R22	22" TURBINE 9 SPOKE Grey and Diamond Turned 9.0J x 22" 265/40 R22
	F-Pace	N/A	N/A	N/A	N/A	N/A	N/A
	F-Pace Premium	N/A	N/A	N/A	N/A	N/A	N/A
	F- Pace Prestige	N/A	Optional	Optional	N/A	N/A	Optional
F- Pace R Sport	Standard	N/A	N/A	Optional	Optional	N/A	
F- Pace S	N/A	N/A	N/A	Optional	Optional	N/A	

<b>2016 XE</b> <b>Note: Tire Size listed as part of brochure documentation (See Apx B, Note #6, pg Apx B 37)</b>									
	<b>17" CRUX 7 TWIN SPOKE*</b> Sparkle Silver 7.0J x 17" 205/55 R17   225/50 R17	<b>17" PROJECTOR 5 SPOKE*</b> Sparkle Silver 7.0J x 17" 225/50 R17	<b>18" ARM 6 SPOKE†</b> Sparkle Silver 7.5J x 18" 225/45 R18	<b>18" MATRIX 7 TWIN SPOKE†</b> Black 7.5J x 18" 225/45 R18	<b>18" MATRIX 7 TWIN SPOKE†</b> Sparkle Silver 7.5J x 18" 225/45 R18	<b>18" TEMPLAR 5 TWIN SPOKE**</b> Silver/Diamond Turned 7.5J x 18"   8.5J x 18" 225/45 R18   245/40 R18	<b>19" RADIANCE 15 SPOKE‡</b> Black/Diamond Turned 7.5J x 19"   8.5J x 19" 225/40 R19   255/35 R19	<b>19" STAR 5 TWIN SPOKE†‡</b> Sparkle Silver 7.5J x 19"   8.5J x 19" 225/40 R19   255/35 R19	<b>19" VENOM 5 TWIN SPOKE†</b> Black 7.5J x 19"   8.5J x 19" 225/40 R19   255/35 R19
	*	*	+	+	+	**	++	++	++
XE	N/A	Standard	N/A	N/A	N/A	N/A	N/A	N/A	N/A
XE Premium	Standard	N/A	Optional	N/A	N/A	Standard	N/A	Optional	N/A
XE Prestige	N/A	N/A	Standard	N/A	Optional	N/A	Optional	Standard	Optional
XE R-Sport	N/A	N/A	N/A	Optional	Standard	N/A	Optional	N/A	Optional

<b>2016 XE</b> <b>(Continued)</b> <b>Note: Tire Size listed as part of brochure documentation (See Apx B, Note #6, pg Apx B 37)</b>		
	<b>19" VENOM 5 TWIN SPOKE†‡</b> Silver/Diamond Turned 7.5J x 19"   8.5J x 19" 225/40 R19   255/35 R19	<b>20" PROPELLER†‡ 10 SPOKE</b> Silver/Diamond Turned 8J x 20"   9J x 20" 235/35 R20   265/30 R20
	+ & ++	+ & ++
XE	N/A	N/A
XE Premium	N/A	N/A
XE Prestige	Optional	N/A
XE R-Sport	Standard	Optional

\* Standard feature on 2.0L, 4-cylinder gas/diesel

\*\* Standard feature on 3.0L, V6 gas

+ Optional on 2.0L, 4-cylinder gas/diesel

++ Optional on 3.0L, V6 gas

Standard and Optional features differ depending on engine selection



**(Notes below referring to tire judging exceptions will be moved to Chapter V or VI during the next revision.)**

**General:** Tires are considered expendable. Replacement tires must be the same (or equivalent) size and construction (bias/radial) as originally found on the car when delivered by the Jaguar factory or offered by Jaguar Cars as optional equipment. **See exceptions in Chapter VI.** In order to ensure that the car will maintain the proper stance and original appearance, replacement tires must maintain the same aspect ratio as the OEM. The size molded into the tire will be accepted as proof of currently exhibited size (example: 6.40 x 15 or 185 x 15). Sidewall or stripe/color or width is currently optional. Universal Tire Company, Lancaster, PA, British Wire Wheel, Fresno, CA or Coker Tire, Chattanooga, TN are sources for hard to find tires.

**Notes:**

1. 4.75 x 18 tires deleted from manufacturer's listings in Oct.89.
2. 6.70 x 16 newly available from Dunlop.
3. In May 1963, Service Bulletin M.7 stated that Dunlop SP tires (a radial tire) are suitable for use on MK2 Jaguars; all MK2's may therefore be equipped with either bias ply or radial tires of the prescribed size.
4. In light of a Jaguar Service Bulletin, stating that 185 x 15 tires were a proper replacement for Series 1 E-Type tires, delegates to the 1997 AGM voted that either 6.40 x 15 or 185 x 15 size tires would be considered authentic for Series 1 E-Types. Further, that 185/70 x 15 tires, (purchased prior to 1997) shown on Series 2 E-Types, would also be considered authentic.
5. During 1972-1974, the tire industry experienced near-chaos as it changed industry standards and nomenclature. The original equipment Dunlop ER7015VR is available through several manufacturers in either the original size or equivalent: P205/70VR15
6. For cars manufactured, beginning in the late 1990's, there is a sticker on the driver's door jamb specifying the correct tire size as specified by the manufacturer.

**Acknowledgments:** Original list and sizes compiled by the Northwest Regional Jaguar Clubs. Footnote research by Ed Miller. The list was originally formatted for JCNA by Dick Howe. Additional vintage tire information was provided by Phillip Pollock of Vintage Tire Supplies Ltd., Middlesex, England. Updated and reformatted for the 1997 6th Reordered Edition. Tire and wheel information listed after model year 2001 updated by Jaguar Cars. Reformatted and edited by Stew Cleave and Dick Cavicke, with the help of the JCRC, Gregory Andrachuk, and Doug Dwyer for Edition 8.1 per the 2004 AGM.

**TIRE SPEED RATINGS** (The following is provided courtesy of The Tire Rack [www.tirerack.com](http://www.tirerack.com))

Over the years, tire speed rating symbols have been marked on tires in one of the three ways shown in the following examples:

**225/50SR16; 225/50SR16 89S or 225/50R16 89S**

Early tires had their speed rating symbol shown "within" the tire size, such as **225/50SR16**. Tires using this designation were **not** to have been produced after 1991:

**225/50SR16** - 112 mph; **225/50HR16** - 130 mph; **225/50VR16** - in excess of 130 mph.

Beginning in 1991, the speed rating symbol denoting the fixed maximum speed capability was shown only in the speed rating portion of the tire's service description, such as **225/50R16 89S**. Common speed rating symbols, maximum speeds and typical applications are shown below:

**N** 87 mph, Temporary Spare Tires

**P** 93 mph

**Q** 99 mph, Studless & Studdable Winter Tires

**R** 106 mph, H.D. Light Truck Tires

**S** 112 mph, Family Sedans & Vans

**T** 118 mph, Family Sedans & Vans

**U** 124 mph

**H** 130 mph, Sport Sedans & Coupes

**V** 149 mph, 240 Sport Sedans, Coupes & Sports Cars

When **Z**-speed rated tires were first introduced, they were thought to reflect the highest tire speed rating that would ever be required, in excess of 149 mph. While **Z**-speed rated tires are capable of speeds in excess of 149 mph, how far above 149 mph was not indicated. That ultimately caused the industry to add **W** and **Y** speed ratings to identify tires that met the needs of new vehicles that have extremely high top-speed capabilities:

**W** 168 mph, Exotic Sports Cars;

**Y** 186 mph, Exotic Sports Cars.

While a **Z**-speed rating still often appears in the tire size designation, such as **225/50ZR16 91W**, the **Z** in the size signifies a maximum speed capability in excess of 149 mph; the **W** in the service description indicates the tire's 168 mph, maximum speed.


**225/50ZR16** in excess of 149 mph; **205/45ZR17 88W** 168 mph; **285/35ZR19 99Y** 186 mph.

Recently, when the **Y**-speed rating indicated in the service description is enclosed in parenthesis, such as **285/35ZR19 (99Y)**, the top speed of the tire has been tested in excess of 186 mph, indicated by the service description as shown below:

**285/35ZR19 99Y** 186 mph; **285/35ZR19 (99Y)** in excess of 186 mph.

Image above provided by TC Kopke.

## How to read a tire sidewall



**Notes:**