





















2000 SPECIAL SERVICE TOOLS











SPX OTC

1-800-533-5338 • www.spxotc.com










	Global No.	Jaguar No.	Description	Application
	211-095	18G.1445B	Power Steering Pump Drive Dog Removal and Installation Tool; spare bolt available separately as Tool No. 18G.1445/A1 used with 211-102	AJ6, AJ16
	211-095-01	JD.206	Bolt & 2 Hooks	AJ6, AJ16
	211-095-02	211-095-02	2 Hooks	AJ6, AJ16
 JD 119/2	211-102	JD.119	Power Steering Pump Drive Dog Removal and Installation Tool (5 pieces) spare nuts and bolts available as Tool No. 211-102 used with 18G.1445	AJ6, AJ16
	303-021	MS.53D	Engine Support Bar used with MS.53/C-1	All
	303-021-01	MS.53C-1	Hook for Engine Support Bar used with MS.53/C	All
	303-032	JD.50	Timing Chain Tensioner Retraction Tool (3 pieces)	5.3L, 6.0L V12
	303-046	JD.39	Jack Shaft Retaining Tool	5.3L, 6.0L V12
	303-047	JD.40	Camshaft Sprocket Retaining Tools (4 pieces)	5.3L, 6.0L V12








	Global No.	Jaguar No.	Description	Application
	303-048	JD.41	Cylinder Liner Retaining Tools (6 pieces)	5.3L, 6.0L V12
	303-102	303-102	Crankshaft Damper Installer (Draw Bolt)	X200
	303-139	303-139	Handle Set, Valve Seat Cutting Tool	XJS, XJ40, XK8, X300, X308
	303-139-01	MS.76-150-7	7mm Valve Guide Pilot	AJ16
	303-139-02	303-139-02	Expandable Pilot	XJS, XJ40
	303-139-03	303-139-03	Valve Seat Cutter	XJS, XJ40, XK8, X300, X308
	303-139-04	303-139-04	Adjustable Cutter	XJS, XJ40, XK8, X300, X308
	303-139-05	MS.76-140-5	5mm Solid Pilot	XK8
	303-147	18G.1364	Spark Plug Wrench (H.E. engine)	5.3L, 6.0L V12

	Global No.	Jaguar No.	Description	Application
	303-178	303-178	Crankshaft Rear Seal Installer	X200
	303-186	18G.1432	Valve Guide Removal and Installation Tool	AJ6, AJ16, V12
	303-187	18G.1433A	Camshaft Timing Tool AJ6	AJ6, AJ16
	303-188	18G.1434	Timing Case Bushing Removal and Installation Tool (2 pieces)	AJ6, AJ16
	303-189	18G.1435	Dummy Camshaft Caps (12 pieces)	AJ6, AJ16
	303-190	18G.1436A	Timing Chain Tension Retainer/Crankshaft Pulley Removal Tool	AJ6, AJ16, 6.0L V12* *Requires tool modification for use on 6.0L V12. Refer to Administration Bulletin 1-53, issued 4/93
	303-191	18G.1437	Crankshaft Pulley Restraining Tool (set) used with 303-191-01 4.0 engine	AJ6, AJ16, AJV8
	303-191-01	18G.1437-1	Crankshaft pulley adaptor used with 303-191	AJ6, AJ16, AJV8
	303-191-02	18G.1437-2	Adaptor Crank Shaft Pulley Wrench	AJV8

Engine





















	Global No.	Jaguar No.	Description	Application
	303-191-03	303-191-03	Adapter Pulley Lock	AJV8
	303-192	18G.1465	Engine Lifting Brackets	(2 pieces) AJ6, AJ16
	303-250	JD.114	Spark Plug Lead Pliers	5.3L, 6.0L V12
	303-251	JD.118	Auxiliary Drive Shaft Seal Removal Tool	AJ6, AJ16
	303-252	MS.1519A	Valve Spring Compression Tool used with 100-013	AJ6, AJ16
	303-258	303-258	Timing Chain Tensioner Release Hook	XJS, XJ40, X300, X308
	303-259	303-259	Engine Support Brackets-Front	XJ40
	303-260	303-260	Engine Support Brackets-Rear	XJ40
	303-261	JD.128	Crankshaft Front Oil Seal Removal Tool	AJ6, AJ16









	Global No.	Jaguar No.	Description	Application
	303-262	JD.129	Crankshaft Front Oil Seal Installation Tool	AJ6, AJ16
	303-263	JD.130	Oil Pump Drive Chain Tool (2 pieces)	AJ6, AJ16
	303-264	JD.131	Throttle Linkage Setting Tool	AJ6, AJ16
	303-265	JD.550-3	Crankshaft Rear Oil Seal Removal and Installation Tool used with 100-013	AJ6, AJ16
	303-295	303-295	Auxiliary Drive Oil Seal Replacer	XJS, XJ40, X300, X308
	303-335	303-335	Crankshaft Damper Installer (Draw Bolt)	X200
	303-339	JD.163	Crankshaft Rear Oil Seal (lip type seal) Installation Tool (set)	5.3L, 6.0L V12
	303-372	303-372	Piston Ring Compressor	XJS, XJ40, XK8, X300, X308
	303-384	303-384	Adapter Bolts Rear "C" Shaft	X200







Engine



	Global No.	Jaguar No.	Description	Application
	303-409	303-409	Crankshaft Front Seal Remover	X200
	303-441	303-441	Valve Spring Compressor	XJS, XJ40, X300, X308
	303-530	JD.215	Jig Camshaft Timing	AJV8
	303-531	JD.216	Crank Lock-up Bolt	AJV8
	303-532	JD.217	Wrench Timing Chain Adjuster	AJV8
	303-533	JD.218	Tensioner Timing Chain	AJV8
	303-534	JD.220	Dummy Bearing Cap	AJV8
	303-535	JD.221	Protector Big End	AJV8
	303-536	JD.222	Lifting Plates - Engine	AJV8









	Global No.	Jaguar No.	Description	Application
	303-537	JD.223	Bracket Engine Mounting	AJV8
	303-538	JD.229	Rear Seal Remover/ Replacer	AJV8
	303-539	JD.231	Fuel Injector Remover	AJV8
	303-540	JD.232	Tappet Adjusting Tool	AJV8
	303-541	JD.234	Crankshaft Front Oil Seal Remover	AJV8
	303-542	JD.235	Crankshaft Seal Replacer	AJV8
	303-566	303-566	Crankshaft Rear Seal Remover	X200
	303-588	303-588	Crankshaft Damper Remover	AJV8
	303-590	JD.233	Fan Nozzle Air Gun	AJV8









	Global No.	Jaguar No.	Description	Application
	303-623	303-623	Fuel Line Hose Remover	XK8, XJ8
	303-645	303-645	4.0L Tool Crankshaft Setting/Timing	X200
	303-654	303-654	V V T Setting Tool	X200
	303-660	303-660	Adapter for Oil Pressure	X200
	303-661	303-661	3.0 Tool Lifting Brackets L/H & R/H	X200
	303-662	303-662	Third Leg, Engine Support	X200
	303-663	303-663	Engine Support Bracket, Mounting Feet	X200
	303-693	303-693	V-6 Engine Valve Adjustment Tool	X200
	303-700	303-700	Front Crank Seal Remover (V6)	X200

	Global No.	Jaguar No.	Description	Application
	303-D055	303-D055	Wrench Strap - Universal	X200
	303-D116	JD.230	Belt Tension Release Tool - non mandatory	AJV8
	303-D121	303-D121	3 Leg Puller	X200
	303-D121-01	303-D121-01	Crank Button	X200
	* C 3993 Supplied by Jaguar	C3993	Camshaft Timing Tool SIII 4.2L, 5.3L,	6.0L V12
	307-010-05	307-010-05	Oil Pressure Adapter	XK8
	*	JAG1507	Valve Spring Compression Tool (2 pieces) SIII, 4.2L, 5.3L	6.0L V12

Transmission
















	Global No.	Jaguar No.	Description	Application
	100-017	TX.27	Torx Drive Bit	ZF, 4 HP 22, 4 HP 24 E9
	100-018	TX.30	Torx Drive Bit	ZF, 4 HP 22, 4 HP 24 E9
	204-265	204-265	Flange Remover/Replacer Plate	X200
	204-266	204-266	Flange Remover/Replacer Boss	X200
	204-268	204-268	Flange Remover/Replacer Shaft Centre - Trans	X200
	204-269	204-269	Flange Remover/Replacer Replacer Forcing Screw	X200
	307-010	CBW.1C	Pressure Test Equipment (set) used with 18G.677/2 - XJS, used with CBW 1/C-5 - XJ6 III, used with JD.677/3 - Sedan 3.6, Sedan 4.0	All Transmissions
	307-010-01	18G.677-2	Pressure Test Adaptor used with CBW.1/C GM Powertrain 400 4180-E	GM Powertrain
	307-010-03	CBW.1C-5	Pressure Test Adaptor used with CBW.1/C	Borg Warner 65, 66

	Global No.	Jaguar No.	Description	Application
	307-010-04	JD.677-3	Pressure Test Adaptor used with CBW.1/C	ZF, 4 HP 22, 4 HP 24 E9
	307-010-05	307-010-05	Oil Pressure Adapter	AJV8
	307-054	CBW.62	Kickdown Cable Removal Tool (removal from transmission case)	Borg Warner 65, 66
	307-057	18G.1297	Front and Rear Seal Installation Tool	GM Powertrain 400
	307-060	307-060	Band Application Pin Selection Gauge	XJS
	307-091	307-091	Torque Converter Handles	X200
	307-136	JD.102	Front and Rear Seal Removal and Installation Tool used with 307-136-01 - Sedan 4.0	ZF, 4 HP 22, 4 HP 24 E9
	307-136-01	JD.102-1	Front and Rear Seal Removal and Installation Adaptor used with JD.102	ZF, 4 HP 24 E9
	307-137	JD.103	Selector Linkage Setting Tool	ZF, 4 HP 22

Transmission














	Global No.	Jaguar No.	Description	Application
	307-138	JD.104	Extension Housing Needle Bearing Removal and Installation Tool ZF, 4 HP 22,	4 HP 24 E9
	307-139	JD.105	Torque Converter Handles (2 pieces)	ZF, 4 HP 22, 4 HP 24 E9
	307-141-02	JD.107-2	Transmission Mounting Centralized Tool	ZF, 4 HP 22, 4 HP 24 E9
	307-144	JD.110	Kickdown Cable Removal Tool	ZF, 4 HP 22
	307-145	JD.111	Transmission Holding Fixture	ZF, 4 HP 22, 4 HP 24 E9
	307-146	JD.126	Valve Body Oil Seal Removal and Installation Tool	ZF, 4 HP 22, 4 HP 24 E9
	307-147	JD.127	Linear Gear Switch Setting Tool	XJ6 Sedan 3.6, XJ12 Sedan 6.0
	307-218	JD.161	Rotary Switch Setting Tool	ZF, 4 HP 24 E9
	307-219	JD.162	Kickdown Switch Setting Tool	ZF, 4 HP 24 E9

	Global No.	Jaguar No.	Description	Application
	307-243	JD.191	Front Pump Oil Seal Replacer	ZF, 4 HP 22, 4 HP 24 E9
	307-244	JD.192	Band Apply Pin Checking Tool	GM Powertrain 400 4L80-E
	307-245	JD.193	Band Apply Pin Gauge	GM Powertrain 400 4L80-E
	307-333	307-333	Auto Transmission Valve Block Alignment Pins (.235)	X200
	307-334	307-334	Auto Transmission Valve Block Alignment Pins (.248)	X200
	307-356	JD.246	Lock Nut Wrench	5HP 24E
	307-357	JD.247	Front Pump Oil Seal Replacer	5HP 24E
	307-358	JD.248	Rear Extension Oil Seal Replacer	5HP 24E
	307-378	307-378	Seal Replacer	5HP 24E

Transmission










	Global No.	Jaguar No.	Description	Application
	307-379	307-379	Transmission Dipstick	XJ8R
	307-403	307-403	Gauge, Flexiplate Alignment	X200
	307-407	307-407	Extension Housing Seal Refit	X200
	307-008-01	CBW.547A-50-3	Front and Rear Servo Adjusting Tool	Borg Warner 65, 66
	308-246	308-246	Front Seal Installer	X200
	308-375	308-375	Seal Remover Input & Output	X200
	308-417	308-417	Manual Transmission Input Seal Replacer Tool	X200
	308-418	308-418	Manual Transmission Input Seal Removal Tool	X200
	308-419	308-419	Clutch Alignment Tool	X200

	Global No.	Jaguar No.	Description	Application
	204-002	JD.14	Wishbone Pivot Shaft) Dummies (2 pieces)	XJ6 III, XJS Range, XJR-S
	204-003	JD.15	Rear Hub Master Spacer and Bearing Removal/ Installation Tool used with shop press XJ6 III, XJS Range	XJR-S
	204-004	204-004	Upper Wishbone Bushing Remover/Replacer	XJS
	204-005	204-005	Hub Bearing Remover	XJS
	204-005-01	204-005-01	Hub Bearing Rear Inner and Outer Cup Remover/Replacer	XJS
	204-006	204-006	Torque Arm Bushing Remover/Replacer	XJS
	204-007	JD.25B	Camber Tie Down Links (2 pieces)	XJ6 III, XJS Range, XJR-S
	204-008	JD.6H	Coil Spring Compressor (set)	XJ6 III, XJS Range, XJR-S
	204-009	204-009	Remover, Rear Hub Bearing Cone	XJS

Suspension




















	Global No.	Jaguar No.	Description	Application
	204-010	JD.11B	Coil Shock Unit Disassembly Adaptor Tools (4 pieces) used with 100-019	XJ6 III, XJS Range, XJR-S
	204-011	JD.1D	Hub Removal Tool	All
	204-083	204-083	Replacer Rear Hub Bearing	XJS
	204-086	JD.13B	Rear Hub End Float Gauge (required dial indicator not supplied)	All
	204-111	JD.115	Coil Spring Compressor (set)	All Sedan Range
	204-112	JD.125A	Coil Spring Compressor	All Sedan Range (to 1994 MY)
	204-112-01	JD.226	Adaptor Spring Compressor	XK8
	204-112-02	204-112-02	Rear Damper/Spring Assembly Compressor Adapter	X200
	204-113	JD.132	Rear Hub Removal Tool (2 pieces)	All Sedan Range

	Global No.	Jaguar No.	Description	Application
	204-114	JD.133	Camber Tie Down Links (2 pieces)	All Sedan Range
	204-115	JD.135	Lower Bushings Removal and Installation Tool	All Sedan Range
	204-115-01	JD.135-2	Coil Shock Unit Bushing Removal and Installation Tool used with 204-115 XJ6 III, XJS Range	XJR-S
	204-116	JD.143A	Front Suspension Bushings Removal and Installation Tool (main tool) used with shop press	All Sedan Range
	204-116-01	JD.143-1	Front Sub Frame Rear Bushing Adaptor used with 204-116	All Sedan Range
	204-116-02	JD.143-2	Anvil Adaptor used with 204-116 and 204-116-1	All Sedan Range
	204-116-03	JD.143-3A	Lower Wishbone Rear Bushing Adaptor (2 pieces) used with 204-116, 204-116-1 and 204-116-2	All Sedan Range
	204-116-04	JD.143-4	Lower Wishbone Front Bushing Adaptor used with 204-116, 204-116-1 and 204-116-2	All Sedan Range
	204-116-05	JD.143-5	Front Sub Frame Rear Bushing Adaptor used with 204-116 and 204-116-1	All Sedan Range

Suspension













	Global No.	Jaguar No.	Description	Application
	204-116-06	JD.143-6B	"A" Frame Mounting Bushing Adaptor (4 pieces) used with 204-116	All Sedan Range
	204-116-07	JD.143-7	Pendulum Mounting Bushing and Wishbone Tie Rod Bushing (large) Adaptor used with 204-116, 204-116-1 and 204-116-2	All Sedan Range
	204-116-08	JD.143-8	Pendulum Mounting Bushing and Wishbone Tie Rod Bushing (small) Adaptor used with 204-116, 204-116-1 and 204-116-2	All Sedan Range
	204-117	JD.145	Camber Tie Down Links (2 pieces)	All Sedan Range
	204-118	JD.550-4	Rear Hub Inner and Outer Oil Seals Removal and Installation Tools (2 pieces) used with 100-013	All Sedan Range
	204-119	JD.550-5	Front Hub Inner and Outer Oil Seals Removal and Installation Tools (2 pieces) used with 100-013	All Sedan Range
	204-120	JD.550-6	Rear Hub Pivot Bearing Cap Removal and Installation Tool used with 100-013	All Sedan Range
	204-149	JD.160	Upper Wishbone Inner Bushing Removal and Installation Tool (3 pieces)	All Sedan Range
	204-165	JD.179	Front Hub Oil Seal Removal and Installation Tool	All Sedan Range

	Global No.	Jaguar No.	Description	Application
	204-166	JD.180	Front Hub Oil Seal Removal and Installation Tool	XJ6 III, XJS Range, XJR-S
	204-179 (2)/ 204-179-01	JD.199 and JD.199-1	Rear Road Spring Compressor Tool, Shock Absorber Retaining Strap Tool	Sedan Range (1994 MY on)
	204-199	JD.239	Upper Wishbone Ball Joint Installer	XK8, XJ8
	204-200	JD.240	Upper Wishbone Ball Joint Remover	XK8, XJ8
	204-201	JD.241	Monostrut Bush Remover	XK8, XJ8
	204-212	JD.242	Front Sump Crossbeam Bush Replacer	XK8, XJ8
	204-213	JD.243	Front Sump Crossbeam Bush Remover	XK8, XJ8
	204-214	JD.244	Lower Wishbone Bush Remover	XK8, XJ8
	204-225	204-225	Bushing Remover/Replacer	XJ8, XK8

Suspension

















	Global No.	Jaguar No.	Description	Application
	204-242	204-242	Rem-Front Mounting Bush Diff	X200
	204-243	204-243	Rem/Rep Front Mounting Bush Diff	X200
	204-244	204-244	Receiver Cup Front Mounting Bush Remover (Diff)	X200
	204-245	204-245	Replacer Front Mounting Bush (Diff)	X200
	204-246	204-246	Forcing Screw Front Mounting Bush Remover (Diff)	X200
	204-247	204-247	Nut Rear Mounting Bush Re/Refit Tool (Diff)	X200
	204-248	204-248	Forcing Screw Rear Mounting Bush Re/Refit Tool (Diff)	X200
	204-249	204-249	Rear Knuckle Support Tool	X200
	204-250	204-250	Rear Knuckle Bearing Remover Tool	X200

	Global No.	Jaguar No.	Description	Application
	204-252	204-252	Bearing Support	X200
	204-253	204-253	Washer Removal/Replace Rear Sub Frame Mounts	X200
	204-254	204-254	I.R.S. Upper Control Arm Forward Bush Remove/Replace Tool	X200
	204-255	204-255	I.R.S. Upper Control Arm Forward Bush Remove/Replace Tool	X200
	204-256	204-256	I.R.S. Lower Control Arm Forward Inner Bush Rem/Rep Tool	X200
	204-257	204-257	I.R.S. Lower Control Arm Forward Inner Bush Rem/Rep Tool	X200
	204-258	204-258	I.F.S. Upper Control Arm Bush Remove/ Replace Tool	X200
	204-259	204-259	I.F.S. Upper Control Arm Bush Remove/ Replace Tool	X200
	204-260	204-260	I.F.S. Lower Control Arm Front Bush Remove/ Replace Tool	X200

Suspension



	Global No.	Jaguar No.	Description	Application
	204-261	204-261	I.F.S. Lower Control Arm Front Bush Remove/Replace Tool	X200
	204-262	204-262	I.F.S. Lower Control Arm Front Bush Remove/Replace Tool	X200
	204-270	204-270	Lower Ball Joint Remover	X200
	204-271	204-271	Lower Ball Joint Remover	X200
	204-272	204-272	Lower Ball Joint Remover	X200
	204-279	204-279	Rear Lower Wishbone Bushing Installer for AJV8	X200
	204-280	204-280	Front Lower Wishbone Installer for AJV8	X200
	204-293	204-293	Ball Joint Splitter	X200
	205-015	205-015	Replacer Differential Bearing	XJS, XJ40, X300, X308





	Global No.	Jaguar No.	Description	Application
	211-098	JD.100	Ball Joint Separator Tool	All Sedan Range
	304-001	JD.153	Strut Lock Nut Removal Tool (2 pieces)	All Sedan Range (To 1994 MY)
	308-005	18G.284AAH	Rear Hub Carrier Fulcrum Bearing Removal Tool used with 100-012	All Sedan Range
	*	JAG1505	Front Suspension "Mid Laden" Spacers (2 pieces)	XJ6 III, XJS Range, XJR-S (Conv. only)
	501-058	501-058	Remover Rear Sub Frame Mounts	X200
	501-059	501-059	Installer Rear Sub Frame Mounts	X200
	501-060	501-060	Receiver Cup Removal/ Replace Rear Sub Frame Mounts	X200
	501-061	501-061	Remover/Replacer Sub Frame Mounting	X200
	501-062	501-062	Rem/Rep Rear Mounting Bush Tool (Diff)	X200

Suspension



JAGUAR

	Global No.	Jaguar No.	Description	Application
	501-063	501-063	Bushing Receiver Rear Mounting Bush Tool (Diff)	X200



	Global No.	Jaguar No.	Description	Application
	206-022	JD.136	Brake Pad Wear Gauge	All Sedan Range
	206-023	JD.142	Parking Brake Cable Removal Tool	All Sedan Range
	206-066A	206-066A	ABS Rotor Nut Wrench	XJ8
	206-075	206-075	Hand Brake Cable Retaining Clip Release Tool	X200
	*	JAG704122	Parking Brake Caliper Setting Tool	XJ6 III, XJS Range, XJR-S

Air Conditioning









Jaguar Special Service Tools










	Global No.	Jaguar No.	Description	Application
	211-S152	JD.169K	Sanden Compressor Tool Kit (Sanden Kit SD 709) Kit Includes: 211-153 Clutch front plate and rotor dis-assembly/ assembly tools (set) 211-154 Oil seal retaining tool 412-050 Oil seal protection tool 412-048 Oil level dip stick 211-155 Oil seal removal and installation tool	Sanden Compressors
	412-021	18G.1363	Air Conditioning Link Setting Tool	XJ6 III, XJS 5.3, (MK II Climate Control)
	412-043	JD.122	Evaporator Temperature Sensor Installation Tool	MK III, MKIV Climate Control
	412-046	JD.146	Clutch Front Plate and Rotor Disassembly/ Assembly Tools (set) Part of Sanden compressor kit SD 510	Sanden Compressors
	412-047	JD.147	Oil Seal Retaining Tool part of Sanden compressor kit SD 510	Sanden Compressors
	412-048	JD.149	Oil Level Dip Stick Part of Sanden compressor kit SD 510 and 211-S152	Sanden Compressors
	412-049	JD.150	Oil Seal Removal and Installation Tool part of Sanden compressor kit SD 510	Sanden Compressors
	412-050	JD.164	Oil Seal Protection Tool (installation) part of Sanden compressor kit SD 510	Sanden Compressors

	Global No.	Jaguar No.	Description	Application
	412-083	JD.197	R-134a Front Compressor Seal Removal and Installation Tool	Sanden Compressors
	412-109	412-109	A/C Comp Clutch Puller	X200
	*	JAG-1510-1	Condensate Drain Tool Burr	Sedan Range, XJS Range
	*	JAG-1510-2	Condensate Drain Tool Bushing	Sedan Range, XJS Range

Steering










	Global No.	Jaguar No.	Description	Application
	204-192	JD.219	Ball Joint Splitter - special	XK8
	204-273	204-273	Remover/Refit Steering Gear Isolator Bushes Cup	X200
	204-274	204-274	Remover/Refit Steering Gear Isolator Bushes Nut	X200
	204-275	204-275	Remover/Refit Steering Gear Isolator Bushes Bolt	X200
	205-011	205-011	Power Steering Test Set	XJS, XJ40, XK8, X300, X308
	211-011-01	211-011-01	Adapter Hyd Pressure Test	XJS, XJ40, XK8, X300, X308
	211-011-02	211-011-02	Hydraulic Test Pipe	XJS, XK8
	211-011-03	211-011-03	Adapter Hyd Pressure Test	XJS, XK8
	211-011-07	JD.10-8	Power Steering Pressure Test Adaptor used with J-25323-D	XJ6 Sedan (1993 MY ON)
	211-011-08	JD.10-9	Power Steering Pressure Test Hose used with J-25323-D	XJ6 Sedan (1993 MY ON)



	Global No.	Jaguar No.	Description	Application
	211-011-09	211-011-09	Adapter, Power Steering	X300, X308
	211-011-10	211-011-10	Adapter Test Hose, Power Steer	X300, X308
	211-042	18G.1324	Steering Rack Bushing Removal and Installation Tool (2 pieces) used with rack removed from vehicle	XJ6 III, XJS Range, (Non ZF rack)
	211-101	JD.117	Steering Rack Centralizing Tool	XJ6 III, XJS 4.0L, 5.3L XJR-S
	211-103	JD.120	Steering Rack Centralizing Tool	All Sedan Range
	211-156	JD.165A	Steering Rack Bushing Removal and Installation Tool (set); spare bolt is available separately as Tool No. JD.165 a/11 used with rack installed in vehicle	XJ6 III, XJS Range, XJR-S (Non ZF Rack)
	211-181	JD.184	Pinion Valve Extraction Tool	XJ6 Sedan Range (steering rack date code 9G 1673 ON)
	211-182	JD.185	Pinion Valve Seal and Energizer Loading Tool (3 pieces)	XJ6 Sedan Range (steering rack date code 9G 1673 ON)
	211-183	JD.186	Pinion Valve Seal Sizing Tool	XJ6 Sedan Range (steering rack date code 9G 1673 ON)
	211-184	JD.187	Pinion Oil Seal Protection Tool (installation)	XJ6 Sedan Range (steering rack date code 9G 1673 ON)

Steering



JAGUAR






	Global No.	Jaguar No.	Description	Application
	*	J-25033-B	Power Steering Pump Pulley Installation Tool	XJ6 III, XJS 5.3L, 6.0L, XJR-S
	*	J-25034-B	Power Steering Pump Pulley Removal Tool	XJ6 III, XJS 5.3L, 6.0L, XJR-S
	*	J-25323-D	Power Steering Pressure Test Equipment (set) used with J-28579S	XJ6 III, XJS 5.3L, 6.0L, XJR-S
	*	J-28579	Power Steering Test Gauge Adaptor used with J-28579-B	XJ6 III, XJS 5.3L, 6.0L, XJR-S
	211-263	211-263	Locking Tool, Steering Col	X200
	211-264	211-264	Reservoir for Vacuum Pump	X200
	211-D027	211-D027	P.A.S. Lines Seal Replacer Tool	X200
	416-001-01	416-001-01	Adpater for Vacuum Pump Kit OTC 7559	X200
	501-F006	501-F006	Alignment System	X200








	Global No.	Jaguar No.	Description	Application
	204-162	JD.176A	Power Hydraulic Valve Block Relief Valve Removal and Installation Tool	XJ6 Sedan Range with power hydraulics
	*	JAG1512	Valve Block Wrench	Sedan Range with girling valve block





Basic Tools




Jaguar Special Service Tools

	Global No.	Jaguar No.	Description	Application
	100-012	18G.284	Slide Hammer	All
	100-013	18G.134	Driver Handle	All
	100-019	18G.47	Multi-Purpose Hand Press	All
	310-044	JD.182	Quick-Fit Connector Releasing Tool	All
	310-045	JD.183	Quick-Fit Connector Releasing Tool	All
	*	HAW900	Tire Bead Compression Tool	All with clip-on wheel weights
	*	HAW900/1	Wheel Weight Clip R & R Tool	All with clip-on wheel weights
	*	JAG77HGPL	Kats Transit Coating Removal Gun	All

	Global No.	Jaguar No.	Description	Application
	303-379	303-379	Distributor Setting Tool	XJS, XJ40
	418-008	JD.121	PM HD Connector Separator Tool	PM HD Connector
	418-010	JD.137	PM 4 Connector Pin Extractor Tool	PM 4 Connector
	418-011	JD.138	PM 4 Socket Extractor Tool	PM 4 Connector
	418-012	JD.141	PM HD Socket and Pin Installation Tool	PM HD Connector
	418-013	MS.1533	PM 5 Connector Pin Extraction Tool	PM 5 Connector
	418-014	MS.1540	Sumitomo Connector Pin Extraction Tool	Sumitomo Connectors
	418-017	JD.154	Speedometer/Tachometer Removal Tool	All Sedan Range
	418-024	JD.173	PM 5 Connector Pin Extraction Tool	PM 5 Connector








	Global No.	Jaguar No.	Description	Application
	418-025	JD.177	Fuse Connector Pin Removal Tool	XJS Range (1992 MY ON) XJR-S
	418-039	JD.195	Labinol Terminal Extractor	Labinol Connector
	418-040	JD.196	Labinol Connector Separator	Labinol Connector
	418-S065	418-S065	Wiring Harness Repair Kit 418-147 Wire Strippers 418-116 Crimpers 418-114 Identification Pack Yellow; 1 bag of 500 items 418-113 Identification Pack Blue; 1 bag of 500 items 418-112 Identification Pack Red; 1 bag of 500 items 418-127 Removal Tip J 418-126 Removal Tip I 418-125 Removal Tip H 418-124 Removal Tip G 418-123 Removal Tip F 418-122 Removal Tip E 418-121 Removal Tip D 418-120 Removal Tip C 418-119 Removal Tip B 418-118 Removal Tip A 418-S111 Removal Tip Pack 418-110 Remover Tool Handle 418-109 Crimps Yellow; 1 bag of 20 items 418-108 Crimps Blue; 1 bag of 50 items 418-107 Crimps Red; 1 bag of 50 items 418-105 Heat Shrink Pack (Large); 1 bag of 10 items 418-104 Heat Shrink Pack (Small); 1 bag of 25 items 418-103 Terminal w/Tail; 1 bag of 10 items 418-102 Terminal w/Tail; 1 bag of 10 items 418-101 Terminal w/Tail; 1 bag of 10 items 418-066 Terminal w/Tail; 1 bag of 10 items 418-067 Terminal w/Tail; 1 bag of 10 items 418-068 Terminal w/Tail; 1 bag of 10 items 418-069 Terminal w/Tail; 1 bag of 10 items 418-070 Terminal w/Tail; 1 bag of 10 items 418-071 Terminal w/Tail; 1 bag of 10 items 418-072 Terminal w/Tail; 1 bag of 10 items 418-073 Terminal w/Tail; 1 bag of 10 items 418-074 Terminal w/Tail; 1 bag of 10 items 418-075 Terminal w/Tail; 1 bag of 10 items 418-076 Terminal w/Tail; 1 bag of 10 items 418-077 Terminal w/Tail; 1 bag of 10 items 418-078 Terminal w/Tail; 1 bag of 10 items 418-079 Terminal w/Tail; 1 bag of 10 items 418-081 Terminal w/Tail; 1 bag of 10 items 418-082 Terminal w/Tail; 1 bag of 10 items 418-083 Terminal w/Tail; 1 bag of 10 items 418-084 Terminal w/Tail; 1 bag of 10 items 418-085 Terminal w/Tail; 1 bag of 10 items 418-086 Terminal w/Tail; 1 bag of 10 items 418-087 Terminal w/Tail; 1 bag of 10 items 418-088 Terminal w/Tail; 1 bag of 10 items 418-089 Terminal w/Tail; 1 bag of 10 items 418-090 Terminal w/Tail; 1 bag of 10 items 418-091 Terminal w/Tail; 1 bag of 10 items 418-092 Terminal w/Tail; 1 bag of 10 items 418-093 Terminal w/Tail; 1 bag of 10 items 418-094 Terminal w/Tail; 1 bag of 10 items	* Service parts can be ordered individually




	Global No.	Jaguar No.	Description	Application
			418-095 Terminal w/Tail; 1 bag of 10 items 418-096 Terminal w/Tail; 1 bag of 10 items 418-097 Terminal w/Tail; 1 bag of 10 items 418-098 Terminal w/Tail; 1 bag of 10 items 418-099 Terminal w/Tail; 1 bag of 10 items 418-100 Terminal w/Tail; 1 bag of 10 items Application: XK8, XJ8, Sedan Range	
	418-S411	418-S411	Wiring Harness Repair Kit	X200

Hubs







Jaguar Special Service Tools

	Global No.	Jaguar No.	Description	Application
	204-193	JD.224	Push Out Tool Front Hub	XK8, XJ8
	204-194	JD.225	Remover Front Hub	XK8, XJ8
	204-195	JD.227	Hub Holding Tool	XK8, XJ8
	204-196	JD.236	Hub Replacer	XK8, XJ8
	204-197	JD.237	Bearing Remover	XK8, XJ8
	204-198	JD.238	Bearing Replacer	XK8, XJ8
	205-461	205-461	Halfshaft Seal Protectors	X200
	205-469	205-469	Front Wheel Bearing Remover	V8 XJ Series from VIN 852232/XK8 from VIN 030688
	205-470	205-470	Front Wheel Bearing Installer	V8 XJ Series from VIN 852232/XK8 from VIN 030688





	Global No.	Jaguar No.	Description	Application
	205-484	205-484	Output Shaft Seal Replacer	X200
	205-491	205-491	Hub Puller	X200
	206-066	JD.228	ABS Rotor Nut Socket	XK8, XJ8

Propeller and Drive Shaft



	Global No.	Jaguar No.	Description	Application
	205-053	18G.1205	Flange Wrench (transmission output shaft; rear axle pinion shaft)	All
	205-183	205-183	Drive Shaft Bearing Remover	XJS
	205-234	JD.550-1	Drive Shaft Oil Seal Removal and Installation Tool used with 18G 134	XJ6 Sedan Range
	205-272	JD.156	Jurid Coupling Removal and Installation Tool	All Sedan Range with Jurid coupling
	205-272-01	205-272-01	Shaft Protector	X300
	*	JAG.GENRAD	Driveline Balancer Kit	X200








Jaguar Special Service Tools








	Global No.	Jaguar No.	Description	Application
	204-263	204-263	Output Bearing Refit Tool	X200
	204-264	204-264	Pinion Seal Replacer	X200
	204-267	204-267	Flange Remover/Replacer Shaft Centre (Diff)	X200
	205-088	205-088	Axle Shaft Bearing Remover/Replacer	XJS, XJ40, XK8, X300, X308
	205-179	18G.1428A	Pinion Seal Installation Tool	XJ6 Sedan 3.6 (without Jurid coupling) XJS, XJR-S
	205-179-01	18G.1428A-1	Pinion Seal Installation Tool used with 18G.1428/A	All Sedan Range (with Jurid coupling)
	205-334	JD.198	Pinion Oil Seal Driver Tool	Sedan Range, XJS Range

Body






Jaguar Special Service Tools


	Global No.	Jaguar No.	Description	Application
	211-151	JD.159	Airbag Arm/Disarm Tool	All with driver mechanical air bag
	417-001	JD.201	Hella Fog Light Removal Tool	All Sedan Range (1995 MY on)
	501-016	JD.158	Rear Window Retaining Tool (2 pieces)	XJS (Conv.), XJR-S (Conv.)
	501-019	JD.188	Under-Dash Panel Removal Tool	All Sedan Range
	501-023	JD.200	Sun Roof Seal Crimping Tool	Sedan Range (1995 MY on)
	501-024	JD.202	Fascia Vent Removal Tool	All Sedan Range (1995 MY on)
	* 501-050	501-050	BetaGun III	X100, X300, and X308
	501-065	501-065	Wiper Arm Removal Tool	X200

	Global No.	Jaguar No.	Description	Application
	310-001	18G.1001	Fuel Tank Lock Ring (fuel level transmitter) Wrench	All
	310-022	JD.116	Fuel Injector Hose Installation Tools (3 pieces)	XJS 5.3L
	310-043	JD.181	Fuel Injection Pressure Test Adaptor used with JAG1515	XJS V12 (1992 MY ON) XJR-S
	310-054	JD.203	Quick Disconnect Release Tool	All
	310-058-01	310-058-01	Fuel Pressure Test Adaptor	XJS, X300, X308
	310-072	310-072	Removal Fuel Pump/ Sensor Locking Nut	X200
	310-076	310-076	Disconnect Tool	X200
	310-077	310-077	Disconnect Tool	X200
	310-094	310-094	Fuel Tank Strap	XJ8

Fuel System








	Global No.	Jaguar No.	Description	Application
	310-D005	310-D005	Fuel Pipe Quick Fit Connect Release Tool	X200
	412-070	JD.174	Fuel Tank Evaporative Flange Wrench	All fuel tanks with evaporative flange
	412-071	JD.175	Fuel Tank Internal Hose Clip Tool	Sedan Range, XJS Range, XJR-S
	*	JAG.050	Evaporative Quick Fit Adapter Kit	X300
	*	JAG1515	Fuel Pressure Gauge Set used with JD.181 - XJS (1992 MY ON)	All

	Global No.	Jaguar No.	Description	Application
	* Supplied by Jaguar	JAG 1509*	ABS and Power Hydraulic Test Kit *Components only supplied individually, as follows: JDS 2022 Test Point JDS 2023 Test Point Adaptor JDS 2024 Flexible Bypass Hole Assembly JDS 2025 Sealing Washer JDS 9000 Jaguar Case JDS 9001 Protective Insert JDS 9002 Gauge JDS 9003 Gauge Cover JDS 9004 Relief Valve (pump) JDS 9005 Adaptor (master cylinder) JDS 9006 Test Point (pump & master cylinder) JDS 9007 Test Point (ride height) JDS 9008 Test Hose (girling) JDS 9009 Test Point (front caliper) JDS 9010 Test Point (accumulator) JDS 9011 Test Point (rear caliper) JDS 9012 Test Hose (Teves) JDS 9013 Pedal Holding Tool JDS 9014 Seal Washer - 10mm JDS 9015 Seal Washer - 12mm JDS 9016 Seal Washer - 6mm JDS 9017 Yellow Cap X5, Green Cap X5 JDS 9019 Hose Seal - 16mm Teves JDS 9020 Hose Seal - 16mm Girling JDS 9021 Contents List Application: All models with ABS and power hydraulic systems	
	* Supplied by Jaguar	GDS 500E	OBD II Scan Tool	All OBD II 1995 to current. Contact Jaguar Car, Tools and Equipment Division to order

Miscellaneous



	Global No.	Jaguar No.	Description	Application
	100-005	100-005	Remover Crankshaft Gear Pulley	XJS, XJ40, XK8, X300, X308
	100-012-01	100-012-01	Adapter for Slide Hammer	X200
	100-019-01	100-019-01	Adapter Base Plate for 100-019 Hand Press	X200
	105-00010 Supplied by Rotunda	JAG 7956	Air Bag Simulator- Driver/passenger Side Air Bag with TRW Air Bag System	All models, 1995 to current
	*	JLM20001	Odor Control Application Tool Kit- (right and left side). Non-mandatory	All Sedan Range
	105-R00012 Supplied by Rotunda	105-R00012	Airbag Simulator, Side Air Bags	XJ8
	418-141	418-141	Transit Relay PDI Link Lead	X200

GLOBAL TO NORTH AMERICAN TOOL NUMBER CROSS REFERENCE

100-005	18G.2	204-195	JD.227	205-211	JD.47-2	303-045	JD.38
100-006	18G.1004	204-196	JD.236	205-218	SL.3-2	303-046	JD.39
100-007	18G.592	204-197	JD.237	205-234	JD.550-1	303-047	JD.40
100-008	MS.370	204-198	JD.238	205-235	JD.550-2	303-048	JD.41
100-009	18G.257	204-199	JD.239	205-272	JD.156	303-049	S.353
100-011	18G.537	204-200	JD.240	205-334	JD.198	303-102	303-102
100-011-01	18G.537A	204-201	JD.241	205-458	205-458	303-109	18G.1267
100-012	18G.284	204-212	JD.242	205-461	205-461	303-139	MS.76A
100-012-01	100-012-01	204-213	JD.243	205-469	205-469	303-139-01	MS.76-150-7
100-013	18G.134	204-214	JD.244	205-470	205-470	303-139-02	MS.76-150-8
100-014	MS.68	204-225	204-225	205-471	GKN.47-3	303-139-03	MS.76-204
100-015	MS.75A	204-242	204-242	205-472	205-472	303-139-04	MS.76-621
100-016	MS.79A	204-243	204-243	205-474	205-474	303-139-05	MS.76-140-5
100-017	TX.27	204-244	204-244	205-484	205-484	303-147	18G.1364
100-018	TX.30	204-245	204-245	205-491	205-491	303-178	303-178
100-019	18G.47	204-246	204-246	206-001	18G.672	303-186	18G.1432
100-019-01	100-019-01	204-247	204-247	206-022	JD.136	303-187	18G.1433A
100-020	100-020	204-248	204-248	206-023	JD.142	303-188	18G.1434
100-021	100-021	204-249	204-249	206-066	JD.228	303-189	18G.1435
100-S021	100-S021	204-250	204-250	206-066A	206-066A	303-190	18G.1436A
105-00010	JAG 7956	204-251	204-251	206-074	206-074	303-191	18G.1437
105-R00012	105-R00012	204-252	204-252	206-075	206-075	303-191-01	18G.1437-1
204-002	JD.14	204-253	204-253	211-011	JD.10	303-191-02	18G.1437-2
204-003	JD.15	204-254	204-254	211-011-01	JD.10-2	303-191-03	303-191-03
204-004	JD.16C	204-255	204-255	211-011-02	JD.10-3A	303-192	18G.1465
204-005	JD.20A	204-256	204-256	211-011-03	JD.10-4A	303-250	JD.114
204-005-01	JD.20A-1	204-257	204-257	211-011-04	JD.10-5	303-251	JD.118
204-006	JD.21	204-258	204-258	211-011-05	JD.10-6	303-252	MS.1519A
204-007	JD.25B	204-259	204-259	211-011-06	JD.10-7	303-258	JD.101
204-008	JD.6H	204-260	204-260	211-011-07	JD.10-8	303-259	JD.123
204-009	SL.14-7	204-261	204-261	211-011-08	JD.10-9	303-260	JD.124
204-010	JD.11B	204-262	204-262	211-011-09	JD.10-10	303-261	JD.128
204-011	JD.1D	204-263	204-263	211-011-10	JD.10-11	303-262	JD.129
204-083	SL.7	204-264	204-264	211-015	JD.36A	303-263	JD.130
204-086	JD.13B	204-265	204-265	211-022	18G.1259	303-264	JD.131
204-111	JD.115	204-266	204-266	211-042	18G.1324	303-265	JD.550-3
204-112	JD.125A	204-267	204-267	211-043	18G.1326	303-295	JD.151
204-112-01	JD.226	204-268	204-268	211-095	18G.1445B	303-296	JD.151X
204-112-02	204-112-02	204-269	204-269	211-095-01	JD.206	303-335	303-335
204-113	JD.132	204-270	204-270	211-095-02	211-095-02	303-339	JD.163
204-114	JD.133	204-271	204-271	211-098	JD.100	303-372	18G.55A
204-115	JD.135	204-272	204-272	211-101	JD.117	303-379	JD.189
204-115-01	JD.135-2	204-273	204-273	211-102	JD.119	303-384	303-384
204-116	JD.143A	204-274	204-274	211-103	JD.120	303-409	303-409
204-116-01	JD.143-1	204-275	204-275	211-151	JD.159	303-441	JD.6118C
204-116-02	JD.143-2	204-279	204-279	211-153	JD.166	303-530	JD.215
204-116-03	JD.143-3A	204-280	204-280	211-154	JD.167	303-531	JD.216
204-116-04	JD.143-4	204-293	204-293	211-155	JD.168	303-532	JD.217
204-116-05	JD.143-5	205-015	SL.550-1	211-156	JD.165A	303-533	JD.218
204-116-06	JD.143-6B	205-016	SL.550-4	211-157	JD.165A-X	303-534	JD.220
204-116-07	JD.143-7	205-017	SL.550-5	211-181	JD.184	303-535	JD.221
204-116-08	JD.143-8	205-019	SL.14-1	211-182	JD.185	303-536	JD.222
204-117	JD.145	205-020	SL.14-3	211-183	JD.186	303-537	JD.223
204-118	JD.550-4	205-021	SL.14-9	211-184	JD.187	303-538	JD.229
204-119	JD.550-5	205-053	18G.1205	211-263	211-263	303-539	JD.231
204-120	JD.550-6	205-083	SL.47-1	211-264	211-264	303-540	JD.232
204-140	JD.115X	205-084	SL.550-8	211-266	211-266	303-541	JD.234
204-149	JD.160	205-085	SL.550-9	211-D027	211-D027	303-542	JD.235
204-162	JD.176A	205-087	GKN.47-7	211-S152	JD.169K	303-566	303-566
204-165	JD.179	205-088	SL.47-3	303-011	MS.11520	303-588	303-588
204-166	JD.180	205-179	18G.1428A	303-011-01	MS.11520-1	303-590	JD.233
204-179-01	JD.199-1	205-179-01	18G.1428A-1	303-012	JD.17B	303-623	303-623
204-179 (2)	JD.199	205-180	SL.3	303-012-01	JD.17B-1	303-631	303-631
204-183	JD.207	205-181	GKN.131	303-021	MS.53D	303-644	303-644
204-192	JD.219	205-182	GKN.47-4	303-021-01	MS.53C-1	303-645	303-645
204-193	JD.224	205-183	SL.15B	303-022	JD.2B	303-654	303-654
204-194	JD.225	205-210	JD.112	303-032	JD.50	303-660	303-660